

#### **DECLARATION OF PERFORMANCE**



No. 0078 - EN

1. Unique identification code of the product-type: fischer concrete screw ULTRACUT FBS II

2. Intended use/es:

| Product                                   | Intended use/es  |
|---|--|
| Metal anchors for use in concrete (heavy- | For fixing and/or supporting concrete structural elements or heavy units such as |
| duty type)                                | cladding and suspended ceilings, see appendix, especially Annexes B 1 to B 4     |

3. Manufacturer: fischerwerke GmbH & Co. KG, Klaus-Fischer-Straße 1, 72178 Waldachtal, Germany

4. Authorised representative: --

5. System/s of AVCP: 1

6a. Harmonised standard: ---

Notified body/ies: ---

6b. European Assessment Document: ETAG 001; 2013-04

EAD 330011-00-0601; 2014-07

European Technical Assessment: ETA-15/0352; 2016-04-12

Technical Assessment Body: DIBt

Notified body/ies: 1343 - MPA Darmstadt

7. Declared performance/s:

## Mechanical resistance and stability (BWR 1)

| Essential characteristic   | Performance                        |
|--|------------------------------------|
| Characteristic values for resistance for static and quasi-static loads | See appendix, especially Annex C 1 |
| Characteristic resistance for seismic performance categories C1 and C2 | See appendix, especially Annex C 2 |
| Displacements for tension and shear loads                              | See appendix, especially Annex C 4 |

#### Safety in case of fire (BWR 2)

| Essential characteristic | Performance                                   |
|--------------------------|---|
| Reaction to fire         | Anchorages satisfy requirements for Class A 1 |
| Resistance to fire       | See appendix, especially Annex C 3            |

8. Appropriate Technical Documentation and/or Specific Technical Documentation: ---

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

1.V. A. Dun

Andreas Bucher, Dipl.-Ing.

Wolfgang Hengesbach, Dipl.-Ing., Dipl.-Wirtsch.-Ing.

i.V. W. Mylal

Tumlingen, 2016-04-19

- This DoP has been prepared in different languages. In case there is a dispute on the interpretation the english version shall always prevail.

- The Appendix includes voluntary and complementary information in English language exceeding the (language-neutrally specified) legal requirements.

## **Specific Part**

## 1 Technical description of the product

The fischer concrete screw ULTRACUT FBS II is an anchor made of hardened carbon steel of sizes 8, 10, 12 and 14. The anchor is screwed into a predrilled cylindrical drill hole. The special thread of the anchor cuts an internal thread into the member while setting. The anchorage is characterised by mechanical interlock in the special thread.

The product description is given in Annex A.

## 2 Specification of the intended use in accordance with the applicable European Assessment Document

The performances given in Section 3 are only valid if the anchor is used in compliance with the specifications and conditions given in Annex B.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the anchor of at least 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

## 3 Performance of the product and references to the methods used for its assessment

## 3.1 Mechanical resistance and stability (BWR 1)

| Essential characteristic   | Performance   |
|--|---------------|
| Characteristic values for resistance for static and quasi-static loads | See Annex C 1 |
| Characteristic resistance for seismic performance categories C1 and C2 | See Annex C 2 |
| Displacements for tension and shear loads                              | See Annex C 4 |

## 3.2 Safety in case of fire (BWR 2)

| Essential characteristic | Performance                                  |
|--------------------------|--|
| Reaction to fire         | Anchorages satisfy requirements for Class A1 |
| Resistance to fire       | See Annex C 3                                |


## 3.3 Safety in use (BWR 4)

For Basic Works Requirement Safety in use the same criteria are valid as for Basic Works Requirement Mechanical resistance and stability.

# Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base


In accordance with guideline for European technical approval ETAG 001, April 2013, used as European Assessment Document (EAD) according to Article 66 Paragraph 3 of Regulation (EU) No 305/2011, and European Assessment Document EAD 330011-00-0601 the applicable European legal act is: [96/582/EC].

The system to be applied is: 1



| Table A1: Ma                                     | terial and s                            | crew types |             |               |                          |      |  |  |  |
|--|---|------------|-------------|---------------|--------------------------|------|--|--|--|
| Type   | of screw / size                         | 1          |             | FBS II US     |                          |      |  |  |  |
|  | OI SCIEW / SIZE                         | *          | 8           | 10            | 12                       | 14   |  |  |  |
| Thread outer diameter                            | d <sub>a</sub>                          | [mm]       | 10,3        | 12,5          | 14,5                     | 16,6 |  |  |  |
| Core diameter                                    | d <sub>k</sub>                          | [mm]       | 7,4         | 9,4           | 11,3                     | 13,3 |  |  |  |
| Shaft diameter                                   | ds                                      | [mm]       | 8,0         | 9,9           | 11,7                     | 13,7 |  |  |  |
| Material   |   |            | Hai         | rdened carbor | steel; A <sub>5%</sub> ≥ | 8%   |  |  |  |
| Coating  |   |            |             | Zinc p        | lated                    |      |  |  |  |
| Hexagon head<br>with formed<br>washer<br>(US)    | N.S. T.                                 |            | <i>(</i> 2) |               |                          |      |  |  |  |
| Hexagon head<br>with formed<br>washer<br>(US TX) | (S) |            |             |               |                          |      |  |  |  |
| Countersunk<br>Head<br>(SK)                      | (4) (4) (4) (4) (4) (4) (4) (4) (4) (4) |            |             |               |                          |      |  |  |  |
| Hexagon Head<br>(S)                              | 1589                                    | T.         |             |               |                          |      |  |  |  |
| Hexagon Head<br>(S TX)                           | S C S S S S S S S S S S S S S S S S S S |            |             |               |                          |      |  |  |  |

# **Head Marking**



\_\_\_ FBS II: Product description

- 10: screw size

- XXX: screw length

| fischer concrete screw ULTRACUT FBS II       |           |
|--|-----------|
| Product description Material and screw types | Annex A 2 |

## Specifications of intended use

## Anchorages subject to:

- Static and quasi-static loads: All sizes and all embedment depths
- Seismic action for Seismic Performance Category C1 and C2: Only for maximum h<sub>nom.</sub>
- Fire exposure: all sizes and all embedment depths according to Annex C3.

#### Base materials:

- Reinforced and unreinforced normal weight concrete according to EN 206:2013
- Strength classes C20/25 to C50/60 according to EN 206:2013
- Non-cracked or cracked concrete: All sizes and all embedment depths

### **Use conditions (Environmental conditions):**

· Structures subject to dry internal conditions.

#### Design:

- Anchorages are to be designed under the responsibility of an engineer experienced in anchorages and concrete work
- Verifiable calculation notes and drawings are to be prepared taking account of the loads to be anchored. The
  position of the screw is indicated on the design drawings (e.g. position of the screw relative to reinforcement or
  to supports, etc.).
- Anchorages under static or quasi-static actions are to be designed in accordance with:
  - ETAG 001, Annex C, design method A, Edition August 2010 or
  - CEN/TS 1992-4:2009, design method A
- · Anchorages under seismic actions are to be designed in accordance with:
  - EOTA Technical Report TR 045, Edition February 2013
  - Anchorages shall be positioned outside of critical regions (e.g. plastic hinges) of the concrete structure.
  - Fastenings in stand-off installation or with a grout layer under seismic action are not allowed.
- Anchorages under fire exposure are to be designed in accordance with:
  - EOTA Technical Report TR 020, Edition May 2004 or
  - CEN/TS 1992-4:2009, Annex D
  - It must be ensured that local spalling of the concrete cover does not occur.

## Installation:


- Hammer drilling or diamond drilling or hollow drilling according to Annex B4:
   All sizes and all embedment depths.
- Screw installation carried out by appropriately qualified personnel and under the supervision of the person responsible for technical matters on site.
- In case of aborted hole: New hole must be drilled at a minimum distance of twice the depth of the aborted hole or closer, if the hole is filled with a high strength mortar and only if the hole is not in the direction of the oblique tensile or shear load.
- · Adjustability according to Annex B3 for: All sizes and all embedment depths.
- · Cleaning of drill hole is not necessary when using a hollow drill or:
  - If drilling vertically upwards
  - If drilling vertical downwards and the drill hole depth has been increased. We recommend to increase the drill depth with additional 3 d<sub>0</sub>.
- After correct installation further turning of the screw head should not be possible
- · The head of the screw must be fully engaged on the fixture and show no signs of damage.
- For Seismic Performance Category C2 applications: The gap between screw shaft and fixture must be filled with mortar; compressive strength ≥ 50 N/mm² (for example FIS V, FIS EM, FIS HB or FIS SB).

| fischer concrete screw ULTRACUT FBS II |           |
|--|-----------|
| Intended Use<br>Specifications         | Annex B 1 |

| T-61- D4- | 14-11-4:     |            |
|-----------|--------------|------------|
| Table B1: | installation | parameters |

| screw size   |                                  |      |                      |        |     |               |     | FBS II |          |                  |     |          |     |
|--|----------------------------------|------|----------------------|--------|-----|---------------|-----|--------|----------|------------------|-----|----------|-----|
| screw size   |                                  |      | 8 10                 |        |     |               | 12  |        | 14       |                  |     |          |     |
| Nominal embedment depth                                    | h <sub>nom</sub>                 | [mm] | 50                   | 65     | 55  | 65            | 85  | 60     | 75       | 100              | 65  | 85       | 115 |
| Nominal drill hole diameter                                | d <sub>0</sub>                   | [mm] | 8                    | 3      |     | 10            |     |        | 12       |                  | 14  |          |     |
| Cutting diameter of drill bits                             | d <sub>cut</sub> ≤               | [mm] | 8,                   | 45     |     | 10,45         |     |        | 12,50    |                  |     | 14,50    |     |
| Cutting diameter tolerance especially for diamond drillers | d <sub>cut</sub>                 | [mm] | 8,05                 | - 8,45 | 10, | 10,05 - 10,45 |     |        | 2,50     | 50 14,10 - 14,50 |     | ,50      |     |
| Clearance hole diameter                                    | d <sub>f</sub>                   | [mm] | 10,6 -               | - 12,0 | 12  | 2,8 – 14      | 1,0 | 14     | 1,8 – 16 | 5,0              | 16  | S,9 – 18 | 3,0 |
| Wrench size (US,S)   | SW                               | [mm] | 1                    | 3      |     | 15            |     | 17     |          |                  |     | 21       |     |
| Tx size  | Tx                               | -    | 4                    | 0      | 50  |               |     | -      |          |                  | -   |          |     |
| Countersunk head diameter                                  | d <sub>h</sub>                   | [mm] | 1                    | 8      |     | 21            |     | -      |          |                  | -   |          |     |
| Countersunk diameter in fixture                            | d <sub>c</sub>                   | [mm] | 2                    | 0      |     | 23            |     | -      |          |                  | -   |          |     |
| Drill hole depth <sup>1)</sup>                             | h₁≥                              | [mm] | 60                   | 75     | 65  | 75            | 95  | 70     | 85       | 110              | 80  | 100      | 130 |
| Drill hole depth 1) (with adjustable setting process)      | h₁≥                              | [mm] | 70                   | 85     | 75  | 85            | 105 | 80     | 95       | 120              | 90  | 110      | 140 |
| Thickness of fixture                                       | t <sub>fix</sub> <sup>3)</sup> ≥ | [mm] | 0                    |        |     |               |     |        |          |                  |     |          |     |
|  | t <sub>fix</sub> ≤               | [mm] | L - h <sub>nom</sub> |        |     |               |     |        |          |                  |     |          |     |
| Longth of covery   | L <sub>min</sub> <sup>3)</sup> = | [mm] | 50                   | 65     | 55  | 65            | 85  | 60     | 75       | 100              | 65  | 85       | 115 |
| Length of screw  | L <sub>max</sub> =               | [mm] | 400                  | 415    | 405 | 415           | 435 | 410    | 425      | 450              | 415 | 435      | 465 |
| Torque impact screw driver 2)                              | T <sub>imp,max</sub>             | [Nm] | 60                   | 650    |     |               |     |        |          |                  |     |          |     |

- Cleaning of drill hole is not necessary when using a hollow drill or:
  - if drilling vertical upwards
  - If drilling vertical downwards and the drill hole depth has been increased. We recommend to increase the drill depth with additional 3 d<sub>0</sub>.
- Installation with any torque impact screw driver up to the maximum mentioned torque moment (T<sub>imp,max</sub>). Alternatively, all other tools without a mentioned torque moment are allowed (e.g. ratchet spanner). In any case it must be secured, that after installation the head of the screw must be tight down on the fixture. An easy further turning of the screw must not be possible and the head of the screw is not damaged. The torque moments T<sub>imp,max</sub> are not valid for manual installation (e.g. torque wrench).
- For countersunk screws the height of the head must be added to t<sub>fix</sub> and L<sub>min</sub>.




fischer concrete screw ULTRACUT FBS II

## Intended Use

Installation parameters

Annex B 2

# Adjustment



It is permissible to untighten the screw up to two times for adjustment purposes. Therefor the screw may be untighten to a maximum of  $L_{adj}=20$  mm off the surface of the initial fixture. The total permissible thickness of shims added during the adjustment process is  $t_{adj}=10$  mm.

Table B3: Minimum thickness of concrete members, minimum spacing and edge distance

| Corow size                           |                  |      | FBS II |     |     |     |     |     |     |     |     |     |     |  |
|--------------------------------------|------------------|------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
| Screw size                           |                  | 8    |        | 10  |     | 12  |     |     | 14  |     |     |     |     |  |
| Nominal embedment depth              | h <sub>nom</sub> | [mm] | 50     | 65  | 55  | 65  | 85  | 60  | 75  | 100 | 65  | 85  | 115 |  |
| Minimum thickness of concrete member | h <sub>min</sub> | [mm] | 100    | 120 | 100 | 120 | 140 | 110 | 130 | 150 | 120 | 140 | 180 |  |
| Minimum spacing                      | S <sub>min</sub> | [mm] | 35     |     |     | 40  |     | 50  |     | 60  |     |     |     |  |
| Minimum edge distance                | C <sub>min</sub> | [mm] | 35     |     | 35  |     | 40  |     | 50  |     |     | 60  |     |  |

| fischer concrete screw ULTRACUT FBS II   |           |
|--|-----------|
| Intended Use Adjustment Minimum thickness of concrete members, minimum spacing and edge distance | Annex B 3 |

|    | Drill the hole using hammer drill, hollow drill or diamond core drill.  |
|----|---|
|    | Drill hole diameter d <sub>0</sub> and drill hole depth h <sub>1</sub> according to table B1  |
|    | Option a) Clean the drill hole  Option b) Cleaning of drill hole is not necessary when using a hollow drill or:  - If drilling vertically upwards or - If drilling vertically downwards and the drill hole depth has been increased. We recommend to increase the drill hole depth additional 3 times d <sub>0</sub> .  Installation with any torque impact screw driver up to the maximum mentioned torque moment (T <sub>imp,max</sub> ). Alternatively, all other tools without an indicated torque moment are allowed (e.g. ratchet |
|    | spanner). The indicated torque moments for impact screw driver are therefore not decisive.  |
|    | After installation a further turning of the screw must not be possible. The head of the screw must be supported on the fixture and is not damaged.  |
| 2. | OPTIONAL: It is permissible to adjust the screw two times. Therefor the screw may be untighten to a maximum of L <sub>adj</sub> = 20 mm off the surface of the initial fixture. The total permissible thickness of shims added during the adjustment process is t <sub>adj</sub> = 10 mm  |
|    | For Seismic Performance Category C2 applications The gap between screw shaft and fixture must be filled with mortar; compressive strength ≥ 50 N/mm² for example: FIS V, FIS EM, FIS HB or FIS SB.  |

Intended Use

Installation instructions

Annex B 4

| Screw size                     |                  |   |         |          |          | ı        | 10       |      | FBS II              |          |      |      | 4.4      |     |
|--------------------------------|------------------|---|---------|----------|----------|----------|----------|------|---------------------|----------|------|------|----------|-----|
| Nominal omb                    | edment depth     | h   | [mm]    | 50       | 65       | 55       | 10<br>65 | 85   | 60                  | 12<br>75 | 100  | 65   | 14<br>85 | 115 |
|                                | for tension load | h <sub>nom</sub>  |         | 50       | 00       | 55       | 05       | 65   | 00                  | 75       | 100  | 05   | 00       | ' ' |
| Steer landre                   | TOT TELISION TOO | N <sub>Rk,S</sub>   | [kN]    | 3        | 5        |          | 55       |      |                     | 76       |      |      | 103      |     |
|                                |                  |   | [kN]    |          | <u> </u> |          |          |      | 1,4                 | 70       |      |      | 100      |     |
|                                |                  | γ <sub>M,S,N</sub><br>V <sub>Rk,S</sub>                     | [kN]    | 13,1     | 19,0     | 29       | 4        | 34,9 | 31                  | 9        | 42,7 | 46   | \$ 5     | 61, |
| Characteristic                 | c resistance     | -   | [-]     | 10,1     | 1,5      |          |          |      |                     |          |      |      |          | 01  |
|                                |                  | γ <sub>M,S,V</sub><br><b>k</b> <sub>2</sub> <sup>2)</sup>   | [-]     |          |          |          |          |      | 1,0                 |          |      |      |          |     |
|                                |                  | M <sup>0</sup> <sub>Rk,s</sub>                              | [Nm]    | 5        | 1        |          | 95       |      | 1,0                 | 165      |      |      | 269      |     |
| Pullout failu                  | re               | TT FIX,5  | []      |          |          |          |          |      |                     | 100      |      |      |          |     |
| Charact. resistance in         | Cracked          | N <sub>Rk,P</sub>   | [kN]    | 6        | 12       | 9        | 12       | -1)  | _1)                 | _1)      | _1)  | -1)  | _1)      | _1  |
| concrete<br>C20/25             | Non-cracked      | N <sub>Rk,P</sub>   | [kN]    |          |          |          |          |      | _1)                 |          |      |      |          |     |
|                                | C25/30           |   |         |          |          |          |          |      | 1,10                |          |      |      |          |     |
|                                | C30/37           |   | [-]     |          |          |          |          |      | 1,22                |          |      |      |          |     |
| Increasing                     | C35/45           | Ψc  |         |          |          |          |          |      | 1,34                |          |      |      |          |     |
| factor<br>concrete             | C40/50           | , ,   |         |          |          |          |          |      | 1,41                |          |      |      |          |     |
| _                              | C45/55           |   |         |          |          |          |          |      | 1,48                |          |      |      |          |     |
|                                | C50/60           |   |         |          |          |          |          |      | 1,55                |          |      |      |          |     |
| Installation sa                | afety factor     | $\gamma_2 = \gamma_{\text{inst}}$                           | [-]     |          |          |          |          |      | 1,0                 |          |      |      |          |     |
| Concrete co                    | ne failure and s | plitting fail   | ure; Co | oncrete  | pryo     | ut failu | re       |      |                     |          |      |      |          |     |
| Effective emb                  | edment depth     | h <sub>ef</sub>   | [mm]    | 40       | 52       | 43       | 51       | 68   | 47                  | 60       | 81   | 50   | 67       | 9   |
| Factor for                     | Cracked          | k <sub>cr</sub> <sup>2)</sup>                               | [mm]    |          |          |          |          |      | 7,2                 |          |      |      |          |     |
| 1 40101 101                    | Non-cracked      | k <sub>ucr</sub> <sup>2)</sup>                              | [mm]    |          |          |          |          |      | 10,1                |          |      |      |          |     |
| Concrete                       | Edge distance    | C <sub>cr,N</sub>   | [mm]    |          |          |          |          |      | 1,5 h <sub>ef</sub> |          |      |      |          |     |
| cone failure                   | Spacing          | S <sub>cr,N</sub>   | [mm]    |          |          |          |          |      | 3 h <sub>ef</sub>   |          |      |      |          |     |
| Splitting                      | Edge distance    | C <sub>cr,sp</sub>  | [mm]    |          |          |          |          |      | 1,5 h <sub>ef</sub> |          |      |      |          |     |
| failure                        | Spacing          | S <sub>cr,sp</sub>  | [mm]    | 1.0      | 2.0      | 10       |          |      | 3 h <sub>ef</sub>   |          | 2.0  |      |          |     |
| k-factor for pi                | -                | $k^{3)} = k_3^{2)}$<br>$\gamma_2^{3)} = \gamma_{inst}^{2)}$ | [-]     | 1,0      | 2,0      | 1,0      |          |      | 1,0                 | - 2      | 2,0  |      |          |     |
| Concrete ed                    |                  | 72 = Yinst  | ניו     |          |          |          |          |      | 1,0                 |          |      |      |          |     |
|                                | th in concrete   | $I_f = h_{nom}$   | [mm]    | 50       | 65       | 55       | 65       | 85   | 60                  | 75       | 100  | 65   | 85       | 11  |
|                                | neter of screw   | d <sub>nom</sub>  | [mm]    |          | 3        | - 55     | 10       |      | - 00                | 12       | 1.00 | - 55 | 14       |     |
| Adjustment                     |                  | -10III  | [[]     | <u> </u> |          |          | . 0      |      |                     |          |      |      |          |     |
| max. thicknes<br>adjustment la |                  | t <sub>adj</sub>  | [mm]    |          |          | 10       |          |      |                     |          |      |      |          |     |
|                                | of adjustments   | na  | [-]     | 2        |          |          |          |      |                     |          |      |      |          |     |

| fischer concrete screw ULTRACUT FBS II                      |           |
|---|-----------|
| Performances Performance for static and quasi-static action | Annex C 1 |

Pullout failure not decisive.
 Parameters relevant only for design according to CEN/TS 1992-4:2009
 Parameters relevant only for design according to ETAG 001 Annex C

| Table CO. | Characteristic values for Colomic Devicements Cotomore | $\circ$ |  |
|-----------|--|---------|--|
| Table C2: | Characteristic values for Seismic Performance Category | C I     |  |

| Screw size                           |                  |                      |          |                    | FB   | S II            |      |  |  |  |
|--------------------------------------|------------------|----------------------|----------|--------------------|------|-----------------|------|--|--|--|
| Screw Size                           |                  |                      |          | 8                  | 10   | 12              | 14   |  |  |  |
| Nominal embed                        | ment depth       | h <sub>nom</sub>     | [mm]     | 65                 | 85   | 100             | 115  |  |  |  |
| Steel failure fo                     | r tension loa    | d and shea           | r load C | 21                 |      |                 |      |  |  |  |
| Characteristic w                     |                  | N <sub>Rk,S,C1</sub> | [kN]     | 35                 | 55   | 76              | 103  |  |  |  |
| Characteristic resistance            |                  | V <sub>Rk,S,C1</sub> | [kN]     | 11,4               | 22,3 | 26,9            | 38,3 |  |  |  |
| Pullout failure                      |                  |                      |          |                    |      |                 |      |  |  |  |
| Characteristic re<br>cracked concret |                  | N <sub>Rk,p,C1</sub> | [kN]     | 12 - <sup>1)</sup> |      |                 |      |  |  |  |
| Concrete cone                        | failure          |                      |          |                    |      |                 |      |  |  |  |
| Effective embed                      | dment depth      | h <sub>ef</sub>      | [mm]     | 52                 | 68   | 81              | 93   |  |  |  |
| Concrete cone                        | Edge<br>distance | C <sub>cr,n</sub>    | [mm]     |                    | 1,5  | h <sub>ef</sub> |      |  |  |  |
| failure                              | Spacing          | S <sub>cr,n</sub>    | [mm]     |                    | 3    | h <sub>ef</sub> |      |  |  |  |
| Installation safe                    | ty factor        | γ2                   | [-]      |                    | 1    | ,0              |      |  |  |  |
| Concrete pryor                       | ut failure       |                      |          |                    |      |                 |      |  |  |  |
| k-factor                             |                  | k                    | [-]      |                    | 2    | ,0              |      |  |  |  |
| Concrete edge                        | failure          |                      |          | _                  |      |                 |      |  |  |  |
| Effective length                     | in concrete      | $I_f = h_{nom}$      | [mm]     | 65                 | 85   | 100             | 115  |  |  |  |
| Nominal diamet                       | er of screw      | d <sub>nom</sub>     | [mm]     | 8                  | 10   | 12              | 14   |  |  |  |

Table C3: Characteristic values for Seismic Performance Category C2
Gap between screw shaft and fixture must be filled with mortar

| Screw size                                     |                  |  |        |                 | FB        | SII             |      |  |  |  |  |
|--|------------------|--|--------|-----------------|-----------|-----------------|------|--|--|--|--|
| Screw Size                                     |                  |  |        | 8               | 10        | 12              | 14   |  |  |  |  |
| Nominal embed                                  | lment depth      | h <sub>nom</sub>                           | [mm]   | 65              | 65 85 100 |                 |      |  |  |  |  |
| Steel failure fo                               | r tension loa    | d and shear                                | load C | 2               |           |                 |      |  |  |  |  |
| Characteristic resistance N <sub>Rk,S,C2</sub> |                  |  | [kN]   | 35,0            | 55        | 76,0            | 103  |  |  |  |  |
| Characteristic resistance                      |                  | V <sub>Rk,S,C2</sub>                       | [kN]   | 13,3            | 20,4      | 29,9            | 35,2 |  |  |  |  |
| Pullout failure                                |                  |  |        |                 |           |                 |      |  |  |  |  |
| Characteristic re<br>cracked concre            |                  | N <sub>Rk,p,C2</sub> [kN] 2,1 6,0 8,9 17,1 |        | 2,1 6,0 8,9 17, |           |                 |      |  |  |  |  |
| Concrete cone                                  | failure          |  |        |                 |           |                 |      |  |  |  |  |
| Effective embed                                | dment depth      | h <sub>ef</sub>                            | [mm]   | 52              | 68        | 81              | 93   |  |  |  |  |
| Concrete cone                                  | Edge<br>distance | C <sub>cr,n</sub>                          | [mm]   |                 | 1,5       | h <sub>ef</sub> |      |  |  |  |  |
| failure  | Spacing          | S <sub>cr,n</sub>                          | [mm]   |                 | 3         | h <sub>ef</sub> |      |  |  |  |  |
| Installation safe                              | ty factor        | γ2   | [-]    |                 | 1         | ,0              |      |  |  |  |  |
| Concrete pryo                                  | ut failure       |  |        |                 |           |                 |      |  |  |  |  |
| k-factor                                       |                  | k  | [-]    |                 | 2         | ,0              |      |  |  |  |  |
| Concrete edge                                  | failure          |  |        |                 |           |                 |      |  |  |  |  |
| Effective length                               | in concrete      | $I_f = h_{nom}$                            | [mm]   | 65              | 85        | 100             | 115  |  |  |  |  |
| Nominal diamet                                 | ter of screw     | d <sub>nom</sub>                           | [mm]   | 8               | 10        | 12              | 14   |  |  |  |  |

fischer concrete screw ULTRACUT FBS II

Performances
Characteristic values for Seismic Performance Category C1 and C2

Annex C 2

Pullout failure not decisive.

| Table C4: | Characteristic values for resistance to fi | rρ |
|-----------|--|----|
| Table C4. | Characteristic values for resistance to it | ıe |

| Screw size                   |                |          |                      |                       | ,       | 3         | ı            | 10     |         | FBS I                | l<br>12 |      | ı     | 14    |      |
|------------------------------|----------------|----------|----------------------|-----------------------|---------|-----------|--------------|--------|---------|----------------------|---------|------|-------|-------|------|
| Minimum embed                | lment depth    | 1        | h <sub>nom</sub>     | [mm]                  | 50      | 65        | 55           | 65     | 85      | 60                   | 75      | 100  | 65    | 85    | 115  |
| Steel failure for            | tension lo     | ad and   | shear loa            | d (F <sub>Rk,s,</sub> | fi = NF | Rk,s,fi = | $V_{Rk,s,f}$ | i)     |         |                      |         |      |       |       |      |
|                              |                | R30      | F <sub>Rk,s,fi</sub> | [kN]                  | 2,      | 33        | 3,45         |        |         | 4,62                 |         | 6,46 |       |       |      |
|                              |                | R60      | F <sub>Rk,s,fi</sub> | [kN]                  | 1,      | 1,82      |              | 2,73   |         |                      | 3,66    |      | 5,11  |       |      |
|                              | US, S          | R90      | F <sub>Rk,s,fi</sub> | [kN]                  | 1,      | 30        |              | 2,00   |         |                      | 2,69    |      |       | 3,75  |      |
|                              |                | R120     | F <sub>Rk,s,fi</sub> | [kN]                  | 1,      | 04        |              | 1,64   |         |                      | 2,20    |      |       | 3,08  |      |
|                              |                | R30      | F <sub>Rk,s,fi</sub> | [kN]                  | 2,      | 12        |              | 2,96   |         |                      | -       |      |       | -     |      |
| Characteristic               | SK,            | R60      | $F_{Rk,s,fi}$        | [kN]                  | 1,      | 67        |              | 2,26   |         |                      | -       |      |       | -     |      |
| resistance for<br>head shape | US TX,<br>S TX | R90      | F <sub>Rk,s,fi</sub> | [kN]                  | 1,      | 21        |              | 1,56   |         |                      | -       |      |       | -     |      |
|                              |                | R120     | F <sub>Rk,s,fi</sub> | [kN]                  | 0,      | 99        |              | 1,21   |         |                      | -       |      |       | -     |      |
|                              |                | R30      | $M^0_{Rk,s,fi}$      | [Nm]                  | 2,      | 62        |              | 4,92   |         |                      | 7,83    |      |       | 12,89 | )    |
|                              | All head       | R60      | $M^0_{Rk,s,fi}$      | [Nm]                  | 2,      | 2,05      |              | 3,89   |         |                      | 6,20    |      | 10,19 |       | )    |
|                              | shapes         | R90      | $M^0_{Rk,s,fi}$      | [Nm]                  | 1,46    |           |              | 2,85   |         | 4,56                 |         |      | 7,48  |       |      |
|                              | R12            |          |                      |                       | 1,17    |           | 2,34         |        |         | 3,73                 |         |      |       | 6,14  |      |
| Pullout failure              |                |          |                      |                       |         |           |              |        |         |                      |         |      |       |       |      |
|                              |                | R30      | $N_{Rk,s,fi}$        | [kN]                  |         |           |              |        |         |                      |         |      |       |       |      |
| Characteristic re            | cictanco       | R60      | $N_{Rk,s,fi}$        | [kN]                  | 1,5     | 3,0       | 2,3          | 3,0    | 5,0     | 2,9                  | 4,2     | 6,6  | 3,2   | 4,9   | 8,1  |
| Onaracteristic re            | Sistance       | R90      | $N_{Rk,s,fi}$        | [kN]                  |         |           |              |        |         |                      |         |      |       |       |      |
|                              |                | R120     | $N_{Rk,s,fi}$        | [kN]                  | 1,2     | 2,4       | 1,8          | 2,4    | 4,0     | 2,3                  | 3,3     | 5,2  | 2,5   | 3,9   | 6,5  |
| Concrete cone                | failure        |          |                      |                       |         |           |              |        |         |                      |         |      |       |       |      |
|                              |                | R30      | $N_{Rk,s,fi}$        | [kN]                  |         |           |              |        |         |                      |         |      |       |       |      |
| Characteristic re            | cictance       | R60      | $N_{Rk,s,fi}$        | [kN]                  | 1,7     | 3,5       | 2,2          | 3,3    | 6,9     | 2,7                  | 5,0     | 10,6 | 3,2   | 6,6   | 15,0 |
| Onaracteristic re            | Sistance       | R90      | $N_{Rk,s,fi}$        | [kN]                  |         |           |              |        |         |                      |         |      |       |       |      |
|                              |                | R120     | $N_{Rk,s,fi}$        | [kN]                  | 1,4     | 2,8       | 1,7          | 2,7    | 5,5     | 2,2                  | 4,0     | 8,5  | 2,5   | 5,3   | 12,0 |
| Edge distance                |                |          |                      |                       |         |           |              |        |         |                      |         |      |       |       |      |
| R30 to R120                  |                |          | C <sub>cr,fi</sub>   | [mm]                  |         |           | al! a.t.a    |        | 11 . 1  | 2 h <sub>ef</sub>    |         |      |       |       |      |
| In case of fire at           | ack from m     | ore than | one side,            | tne mir               | nımum   | ı eage    | aista        | nce sr | iali be | ≥ 300                | mm      |      |       |       |      |
| R30 to R120                  |                |          | S <sub>cr,fi</sub>   | [mm]                  |         |           |              |        |         | 2 C <sub>cr,fi</sub> |         |      |       |       |      |
| Concrete pryou               | t failure      |          | - GG,II              | [[]                   |         |           |              |        |         | 50,11                |         |      |       |       |      |
| R30 to R120                  |                |          | k                    | [-]                   | 1,0     | 2,0       | 1,0          |        |         |                      | 2       | ,0   |       |       |      |
| The anchorage of             | depth has to   | be incre | eased for            |                       |         | ,         |              | 30 mm  | comp    | ared                 |         |      | value |       |      |

| fischer concrete screw ULTRACUT FBS II                     |           |
|--|-----------|
| Performances: Characteristic values for resistance to fire | Annex C 3 |

| Table C5: | Displacements due to tension loads ( | (static) |
|-----------|--------------------------------------|----------|
|           |                                      |          |

| Screw size                             |                       |      | FBS II |      |     |     |      |     |      |      |     |      |      |
|--|-----------------------|------|--------|------|-----|-----|------|-----|------|------|-----|------|------|
| Screw Size                             |                       |      | 3      | 10   |     |     | 12   |     |      | 14   |     |      |      |
| Nominal embedment depth                | h <sub>nom</sub>      | [mm] | 50     | 65   | 55  | 65  | 85   | 60  | 75   | 100  | 65  | 85   | 115  |
| Tension load in<br>cracked concrete    | N                     | [kN] | 2,9    | 5,7  | 4,3 | 5,7 | 9,6  | 5,5 | 8,0  | 12,5 | 6,1 | 9,4  | 15,3 |
| D'anta annual                          | $\delta_{\text{N0}}$  | [mm] | 0,5    | 0,9  | 0,7 | 0,7 | 0,8  | 0,7 | 0,9  | 0,8  | 0,8 | 1,0  | 0,8  |
| Displacement                           | $\delta_{N_{\infty}}$ | [mm] | 1,3    | 1,0  | 0,7 | 0,7 | 0,8  | 1,3 | 0,9  | 0,8  | 1,1 | 1,0  | 1,1  |
| Tension load in non - cracked concrete | N                     | [kN] | 7,9    | 12,0 | 6,8 | 8,8 | 13,5 | 7,7 | 11,0 | 17,4 | 8,5 | 13,2 | 21,6 |
| Displacement                           | $\delta_{\text{N0}}$  | [mm] | 0,9    | 1,4  | 0,9 | 0,9 | 1,4  | 0,9 | 1,1  | 1,4  | 1,0 | 1,3  | 1,1  |
|  | $\delta_{N_\infty}$   | [mm] | 1,4    | 1,4  | 1,4 | 1,4 | 1,4  | 1,4 | 1,4  | 1,4  | 1,1 | 1,3  | 1,1  |

## Table C6: Displacements due to shear loads (static)

| Screw size   |                       |      | FBS II |     |      |      |      |      |      |      |      |      |      |
|--|-----------------------|------|--------|-----|------|------|------|------|------|------|------|------|------|
| Screw size   |                       | 8    |        | 10  |      |      | 12   |      |      | 14   |      |      |      |
| Nominal embedment depth                              | h <sub>nom</sub>      | [mm] | 50     | 65  | 55   | 65   | 85   | 60   | 75   | 100  | 65   | 85   | 115  |
| Shear load<br>in cracked and<br>non-cracked concrete | V                     | [kN] | 6,2    | 9,0 | 14,0 | 14,0 | 16,6 | 15,9 | 15,9 | 21,2 | 23,0 | 23,0 | 30,5 |
| Displacement   | $\delta_{V0}$         | [mm] | 1,4    | 1,4 | 3,2  | 3,2  | 3,2  | 2,5  | 2,5  | 3,4  | 2,8  | 2,8  | 5,4  |
| Displacement   | $\delta_{V_{\infty}}$ | [mm] | 2,0    | 2,1 | 4,9  | 4,9  | 4,9  | 3,8  | 3,8  | 5,1  | 4,2  | 4,2  | 8,1  |

## Table C7: Displacements due to tension loads (Seismic Performance Category C2)

|                         |                         |      | •      |     |     | <del>-</del> |  |
|-------------------------|-------------------------|------|--------|-----|-----|--------------|--|
| Corow size              |                         |      | FBS II |     |     |              |  |
| Screw size              |                         |      | 8      | 10  | 12  | 14           |  |
| Nominal embedment depth | h <sub>nom</sub>        | [mm] | 65     | 85  | 100 | 115          |  |
| Displacement DLS        | $\delta_{N,C2(DLS)}$    | [mm] | 0,5    | 0,8 | 0,9 | 1,3          |  |
| Displacement ULS        | δ <sub>N,C2 (ULS)</sub> | [mm] | 1,7    | 2,8 | 2,7 | 5,0          |  |

# Table C8: Displacements due to shear loads (Seismic Performance Category C2)

| Screw size              |                        |      | FBS II |     |     |     |
|-------------------------|------------------------|------|--------|-----|-----|-----|
| Screw Size              |                        |      | 8      | 10  | 12  | 14  |
| Nominal embedment depth | h <sub>nom</sub>       | [mm] | 65     | 85  | 100 | 115 |
| Displacement DLS        | $\delta_{V,C2(DLS)}$   | [mm] | 1,6    | 2,7 | 3,1 | 4,1 |
| Displacement ULS        | $\delta_{V,C2\;(ULS)}$ | [mm] | 3,9    | 7,1 | 5,3 | 8,7 |

| fischer concrete screw ULTRACUT FBS II                    |           |
|---|-----------|
| Performances: Displacements under tension and shear loads | Annex C 4 |