


## CSK head, PZ, blue zinc-plated, full thread



### BUILDING MATERIALS

- Glued-laminated timber
- Cross-laminated timber
- Laminated veneer plywood panels (e.g. Multiplex)
- Hard woods (pre-drilled)
- Chipboards and oriented strand boards (e.g. OSB panels)
- Plywood
- Solid wood panels
- Soft woods
- And many other wood materials

### ADVANTAGES/BENEFITS

- The unique Power-Fast thread reaches into the screw tip and ensures a fast bite. This makes your work noticeably easier with all wood materials.
- The shank ribs (for screws with partial thread from 50 mm in length and up) substantially reduce drive-in resistance and thus enable greater power and battery conservation in your work.
- The optimised head geometry enables an exact and splinter-free surface finish without the screw twisting off, even with connections close to the edge.
- The ETA approval guarantees the high safety standard and the premium quality of fischer Power-Fast screws.

### APPLICATIONS

- General wood joints
- Finger tightening elements
- Safety-relevant applications
- Plankings
- Skirting
- Door and metal fittings


### APPROVALS



### FUNCTIONING

- Screws with partial threads can lock wood parts into place by tightening them against each other.
- Full-thread screws are recommended for mounting thin parts and in less firm wood materials (e.g. soft woods).
- Screws with countersunk head can be flush mounted with the wood.
- Pan-Head screws are particularly well suited for metal and wood joints.
- The raised countersunk head is particularly suitable for joints where the screw head is visible and needs to leave behind an attractive appearance.

### TECHNICAL DATA



FPF-SZ ZPF

## Diameter 2,5

Diameter d [mm]	Length l [mm]	Drive	Art.-No.	Article name	ETA-approval	Full thread length l <sub>g</sub> [mm]	Sales unit [pcs]
2,5	12	PZ1	<b>652005</b>	<b>FPF-SZ 2,5 x 12 ZPF 200</b>		9	200
2,5	16	PZ1	<b>652008</b>	<b>FPF-SZ 2,5 x 16 ZPF 200</b>		13	200
2,5	20	PZ1	<b>652011</b>	<b>FPF-SZ 2,5 x 20 ZPF 200</b>		17	200
3,0	12	PZ1	<b>652020</b>	<b>FPF-SZ 3,0 x 12 ZPF 200</b>		8	200
3,0	12	PZ1	<b>652021</b>	<b>FPF-SZ 3,0 x 12 ZPF 500</b>		8	500

## Diameter 3,0

Diameter d [mm]	Length l [mm]	Drive	Art.-No.	Article name	ETA-approval	Full thread length l <sub>g</sub> [mm]	Sales unit [pcs]
3,0	16	PZ1	<b>652025</b>	<b>FPF-SZ 3,0 x 16 ZPF 200</b>		12	200
3,0	16	PZ1	<b>652026</b>	<b>FPF-SZ 3,0 x 16 ZPF 1000</b>		12	1000
3,0	20	PZ1	<b>652031</b>	<b>FPF-SZ 3,0 x 20 ZPF 200</b>		16	200
3,0	20	PZ1	<b>652032</b>	<b>FPF-SZ 3,0 x 20 ZPF 1000</b>		16	1000
3,0	25	PZ1	<b>652034</b>	<b>FPF-SZ 3,0 x 25 ZPF 200</b>	■	21	200
3,0	25	PZ1	<b>652035</b>	<b>FPF-SZ 3,0 x 25 ZPF 1000</b>	■	21	1000
3,0	30	PZ1	<b>652037</b>	<b>FPF-SZ 3,0 x 30 ZPF 200</b>	■	26	200
3,0	30	PZ1	<b>652038</b>	<b>FPF-SZ 3,0 x 30 ZPF 1000</b>	■	26	1000
3,0	35	PZ1	<b>652040</b>	<b>FPF-SZ 3,0 x 35 ZPF 200</b>	■	31	200

## Diameter 3,5

Diameter d [mm]	Length l [mm]	Drive	Art.-No.	Article name	ETA-approval	Full thread length l <sub>g</sub> [mm]	Sales unit [pcs]
3,5	12	PZ2	<b>652053</b>	<b>FPF-SZ 3,5 x 12 ZPF 200</b>		8	200
3,5	12	PZ2	<b>652054</b>	<b>FPF-SZ 3,5 x 12 ZPF 1000</b>		8	1000
3,5	16	PZ2	<b>652058</b>	<b>FPF-SZ 3,5 x 16 ZPF 200</b>		12	200
3,5	16	PZ2	<b>652059</b>	<b>FPF-SZ 3,5 x 16 ZPF 1000</b>		12	1000
3,5	20	PZ2	<b>652062</b>	<b>FPF-SZ 3,5 x 20 ZPF 200</b>	■	16	200
3,5	20	PZ2	<b>652063</b>	<b>FPF-SZ 3,5 x 20 ZPF 1000</b>	■	16	1000
3,5	25	PZ2	<b>652065</b>	<b>FPF-SZ 3,5 x 25 ZPF 200</b>	■	21	200
3,5	25	PZ2	<b>652066</b>	<b>FPF-SZ 3,5 x 25 ZPF 1000</b>	■	21	1000
3,5	30	PZ2	<b>652068</b>	<b>FPF-SZ 3,5 x 30 ZPF 200</b>	■	26	200
3,5	30	PZ2	<b>652069</b>	<b>FPF-SZ 3,5 x 30 ZPF 1000</b>	■	26	1000
3,5	35	PZ2	<b>652073</b>	<b>FPF-SZ 3,5 x 35 ZPF 200</b>	■	31	200
3,5	35	PZ2	<b>652074</b>	<b>FPF-SZ 3,5 x 35 ZPF 1000</b>	■	31	1000

## Diameter 4,0

Diameter d [mm]	Length l [mm]	Drive	Art.-No.	Article name	ETA-approval	Full thread length l <sub>g</sub> [mm]	Sales unit [pcs]
4,0	16	PZ2	<b>652097</b>	<b>FPF-SZ 4,0 x 16 ZPF 200</b>		11	200
4,0	16	PZ2	<b>652098</b>	<b>FPF-SZ 4,0 x 16 ZPF 1000</b>		11	1000
4,0	20	PZ2	<b>652102</b>	<b>FPF-SZ 4,0 x 20 ZPF 200</b>		15	200
4,0	20	PZ2	<b>652103</b>	<b>FPF-SZ 4,0 x 20 ZPF 1000</b>		15	1000
4,0	25	PZ2	<b>652104</b>	<b>FPF-SZ 4,0 x 25 ZPF 200</b>	■	20	200
4,0	25	PZ2	<b>652105</b>	<b>FPF-SZ 4,0 x 25 ZPF 1000</b>	■	20	1000
4,0	30	PZ2	<b>652106</b>	<b>FPF-SZ 4,0 x 30 ZPF 200</b>	■	25	200
4,0	30	PZ2	<b>652107</b>	<b>FPF-SZ 4,0 x 30 ZPF 1000</b>	■	25	1000
4,0	35	PZ2	<b>652111</b>	<b>FPF-SZ 4,0 x 35 ZPF 200</b>	■	30	200
4,0	35	PZ2	<b>652112</b>	<b>FPF-SZ 4,0 x 35 ZPF 1000</b>	■	30	1000
4,0	40	PZ2	<b>652116</b>	<b>FPF-SZ 4,0 x 40 ZPF 200</b>	■	35	200
4,0	40	PZ2	<b>652117</b>	<b>FPF-SZ 4,0 x 40 ZPF 1000</b>	■	35	1000
4,0	45	PZ2	<b>652121</b>	<b>FPF-SZ 4,0 x 45 ZPF 200</b>	■	40	200
4,0	45	PZ2	<b>652122</b>	<b>FPF-SZ 4,0 x 45 ZPF 500</b>	■	40	500
4,0	50	PZ2	<b>652126</b>	<b>FPF-SZ 4,0 x 50 ZPF 200</b>	■	45	200
4,0	50	PZ2	<b>652127</b>	<b>FPF-SZ 4,0 x 50 ZPF 500</b>	■	45	500
4,0	60	PZ2	<b>652840</b>	<b>FPF-SZ 4,0 x 60 ZPF 200</b>		55	200

## Diameter 4,5

Diameter d [mm]	Length l [mm]	Drive	Art.-No.	Article name	ETA-approval	Full thread length l <sub>g</sub> [mm]	Sales unit [pcs]
4,5	16	PZ2	<b>652140</b>	<b>FPF-SZ 4,5 x 16 ZPF 200</b>		11	200
4,5	16	PZ2	<b>652141</b>	<b>FPF-SZ 4,5 x 16 ZPF 1000</b>		11	1000
4,5	20	PZ2	<b>652143</b>	<b>FPF-SZ 4,5 x 20 ZPF 200</b>		15	200
4,5	20	PZ2	<b>652144</b>	<b>FPF-SZ 4,5 x 20 ZPF 1000</b>		15	1000
4,5	25	PZ2	<b>652146</b>	<b>FPF-SZ 4,5 x 25 ZPF 200</b>	■	20	200
4,5	25	PZ2	<b>652147</b>	<b>FPF-SZ 4,5 x 25 ZPF 1000</b>	■	20	1000
4,5	30	PZ2	<b>652149</b>	<b>FPF-SZ 4,5 x 30 ZPF 200</b>	■	25	200
4,5	30	PZ2	<b>652150</b>	<b>FPF-SZ 4,5 x 30 ZPF 1000</b>	■	25	1000
4,5	35	PZ2	<b>652154</b>	<b>FPF-SZ 4,5 x 35 ZPF 200</b>	■	30	200
4,5	35	PZ2	<b>652155</b>	<b>FPF-SZ 4,5 x 35 ZPF 500</b>	■	30	500
4,5	40	PZ2	<b>652159</b>	<b>FPF-SZ 4,5 x 40 ZPF 200</b>	■	35	200
4,5	40	PZ2	<b>652160</b>	<b>FPF-SZ 4,5 x 40 ZPF 500</b>	■	35	500
4,5	45	PZ2	<b>652164</b>	<b>FPF-SZ 4,5 x 45 ZPF 200</b>	■	40	200
4,5	45	PZ2	<b>652165</b>	<b>FPF-SZ 4,5 x 45 ZPF 500</b>	■	40	500
4,5	50	PZ2	<b>652169</b>	<b>FPF-SZ 4,5 x 50 ZPF 200</b>	■	45	200
4,5	50	PZ2	<b>652170</b>	<b>FPF-SZ 4,5 x 50 ZPF 500</b>	■	45	500
4,5	60	PZ2	<b>652841</b>	<b>FPF-SZ 4,5 x 60 ZPF 200</b>		55	200

## Diameter 5,0

Diameter d [mm]	Length l [mm]	Drive	Art.-No.	Article name	ETA-approval	Full thread length l <sub>g</sub> [mm]	Sales unit [pcs]
5,0	20	PZ2	<b>652188</b>	<b>FPF-SZ 5,0 x 20 ZPF 200</b>		14	200
5,0	20	PZ2	<b>652189</b>	<b>FPF-SZ 5,0 x 20 ZPF 500</b>		14	500
5,0	25	PZ2	<b>652191</b>	<b>FPF-SZ 5,0 x 25 ZPF 200</b>		19	200
5,0	25	PZ2	<b>652192</b>	<b>FPF-SZ 5,0 x 25 ZPF 500</b>		19	500
5,0	30	PZ2	<b>652194</b>	<b>FPF-SZ 5,0 x 30 ZPF 200</b>	■	24	200
5,0	30	PZ2	<b>652195</b>	<b>FPF-SZ 5,0 x 30 ZPF 500</b>	■	24	500
5,0	35	PZ2	<b>652197</b>	<b>FPF-SZ 5,0 x 35 ZPF 200</b>	■	29	200
5,0	35	PZ2	<b>652198</b>	<b>FPF-SZ 5,0 x 35 ZPF 500</b>	■	29	500
5,0	40	PZ2	<b>652200</b>	<b>FPF-SZ 5,0 x 40 ZPF 200</b>	■	34	200
5,0	40	PZ2	<b>652201</b>	<b>FPF-SZ 5,0 x 40 ZPF 500</b>	■	34	500
5,0	50	PZ2	<b>652210</b>	<b>FPF-SZ 5,0 x 50 ZPF 200</b>	■	44	200
5,0	60	PZ2	<b>652217</b>	<b>FPF-SZ 5,0 x 60 ZPF 100</b>		54	100
5,0	60	PZ2	<b>652218</b>	<b>FPF-SZ 5,0 x 60 ZPF 500</b>		54	500

## Diameter 6,0

Diameter d [mm]	Length l [mm]	Drive	Art.-No.  Art.-No.	Article name	ETA-approval	Full thread length l <sub>g</sub> [mm]	Sales unit  [pcs]
6,0	40	PZ3	<b>652239</b>	<b>FPF-SZ 6,0 x 40 ZPF 200</b>	■	34	200
6,0	50	PZ3	<b>652246</b>	<b>FPF-SZ 6,0 x 50 ZPF 100</b>	■	44	100
6,0	50	PZ3	<b>652247</b>	<b>FPF-SZ 6,0 x 50 ZPF 400</b>	■	44	400
6,0	60	PZ3	<b>652251</b>	<b>FPF-SZ 6,0 x 60 ZPF 100</b>	■	54	100
6,0	60	PZ3	<b>652252</b>	<b>FPF-SZ 6,0 x 60 ZPF 200</b>	■	54	200