


CSK head, TX, blue zinc-plated, partial thread



APPROVALS



BUILDING MATERIALS

- Glued-laminated timber
- Cross-laminated timber
- Laminated veneer plywood panels (e.g. Multiplex)
- Hard woods (pre-drilled)
- Chipboards and oriented strand boards (e.g. OSB panels)
- Plywood
- Solid wood panels
- Soft woods
- And many other wood materials



ADVANTAGES/BENEFITS

- The unique Power-Fast thread reaches into the screw tip and ensures a fast bite. This makes your work noticeably easier with all wood materials.
- The shank ribs (for screws with partial thread from 50 mm in length and up) substantially reduce drive-in resistance and thus enable greater power and battery conservation in your work.
- The optimised head geometry enables an exact and splinter-free surface finish without the screw twisting off, even with connections close to the edge.
- The ETA approval guarantees the high safety standard and the premium quality of fischer Power-Fast screws.

APPLICATIONS

- General wood joints
- Finger tightening elements
- Safety-relevant applications
- Plankings
- Skirting
- Door and metal fittings

FUNCTIONING

- Screws with partial threads can lock wood parts into place by tightening them against each other.
- Full-thread screws are recommended for mounting thin parts and in less firm wood materials (e.g. soft woods).
- Screws with countersunk head can be flush mounted with the wood.
- Pan-Head screws are particularly well suited for metal and wood joints.
- The raised countersunk head is particularly suitable for joints where the screw head is visible and needs to leave behind an attractive appearance.

TECHNICAL DATA



FPF-ST ZPP

Diameter 3,0

Drive	Art.-No.		ETA-approval	Partial thread length l_g	Sales unit
	Art.-No.	Article name		[mm]	[pcs]
TX10	652313	FPF-ST 3,0 x 35 ZPP 200	■	24	200
TX10	652315	FPF-ST 3,0 x 40 ZPP 200	■	24	200
TX10	652316	FPF-ST 3,0 x 40 ZPP 500	■	24	500
TX10	652318	FPF-ST 3,0 x 45 ZPP 200	■	30	200
TX10	652319	FPF-ST 3,0 x 45 ZPP 500	■	30	500

Diameter 3,5

Drive	Art.-No.		ETA-approval	Partial thread length l_g	Sales unit
	Art.-No.	Article name		[mm]	[pcs]
TX10	652333	FPF-ST 3,5 x 30 ZPP 200	■	18	200
TX10	652334	FPF-ST 3,5 x 30 ZPP 500	■	18	500
TX10	652339	FPF-ST 3,5 x 35 ZPP 200	■	24	200
TX10	652340	FPF-ST 3,5 x 35 ZPP 500	■	24	500
TX10	652345	FPF-ST 3,5 x 40 ZPP 200	■	24	200
TX10	652347	FPF-ST 3,5 x 40 ZPP 1000	■	24	1000
TX10	652351	FPF-ST 3,5 x 45 ZPP 200	■	30	200
TX10	652352	FPF-ST 3,5 x 45 ZPP 500	■	30	500

Drive	Art.-No.		ETA-approval	Partial thread length l_g	Sales unit
	Art.-No.	Article name		[mm]	[pcs]
TX10	652355	FPF-ST 3,5 x 50 ZPP 500		30	500

Diameter 4,0

Drive	Art.-No.		ETA-approval	Partial thread length l_g	Sales unit
	Art.-No.	Article name		[mm]	[pcs]
TX20	652374	FPF-ST 4,0 x 35 ZPP 200	■	24	200
TX20	652375	FPF-ST 4,0 x 35 ZPP 500	■	24	500
TX20	652380	FPF-ST 4,0 x 40 ZPP 200	■	24	200
TX20	652382	FPF-ST 4,0 x 40 ZPP 1000	■	24	1000
TX20	652385	FPF-ST 4,0 x 45 ZPP 200	■	30	200
TX20	652386	FPF-ST 4,0 x 45 ZPP 500	■	30	500
TX20	652389	FPF-ST 4,0 x 50 ZPP 200	■	30	200
TX20	652390	FPF-ST 4,0 x 50 ZPP 500	■	30	500
TX20	652391	FPF-ST 4,0 x 60 ZPP 100	■	36	100
TX20	652392	FPF-ST 4,0 x 60 ZPP 500	■	36	500
TX20	652393	FPF-ST 4,0 x 70 ZPP 100	■	42	100

Diameter 4,5

Drive	Art.-No.		ETA-approval	Partial thread length l_g	Sales unit
	Art.-No.	Article name		[mm]	[pcs]
TX20	652405	FPF-ST 4,5 x 35 ZPP 200	■	24	200
TX20	652406	FPF-ST 4,5 x 35 ZPP 500	■	24	500
TX20	652409	FPF-ST 4,5 x 40 ZPP 200	■	24	200
TX20	652410	FPF-ST 4,5 x 40 ZPP 500	■	24	500
TX20	652413	FPF-ST 4,5 x 45 ZPP 200	■	30	200
TX20	652414	FPF-ST 4,5 x 45 ZPP 500	■	30	500
TX20	652417	FPF-ST 4,5 x 50 ZPP 200	■	30	200
TX20	652418	FPF-ST 4,5 x 50 ZPP 500	■	30	500
TX20	652421	FPF-ST 4,5 x 60 ZPP 100	■	36	100
TX20	652422	FPF-ST 4,5 x 60 ZPP 500	■	36	500
TX20	652423	FPF-ST 4,5 x 70 ZPP 100	■	42	100
TX20	652424	FPF-ST 4,5 x 70 ZPP 500	■	42	500
TX20	652426	FPF-ST 4,5 x 80 ZPP 200	■	50	200

Diameter 5,0

Drive	Art.-No.		ETA-approval	Partial thread length l_g	Sales unit
	Art.-No.	Article name		[mm]	[pcs]
TX20	652433	FPF-ST 5,0 x 35 ZPP 200	■	24	200
TX20	652434	FPF-ST 5,0 x 35 ZPP 500	■	24	500
TX20	652437	FPF-ST 5,0 x 40 ZPP 200	■	24	200
TX20	652438	FPF-ST 5,0 x 40 ZPP 500	■	24	500
TX20	652441	FPF-ST 5,0 x 45 ZPP 200	■	30	200
TX20	652442	FPF-ST 5,0 x 45 ZPP 500	■	30	500
TX20	652445	FPF-ST 5,0 x 50 ZPP 200	■	30	200
TX20	652446	FPF-ST 5,0 x 50 ZPP 500	■	30	500
TX20	652449	FPF-ST 5,0 x 60 ZPP 100	■	36	100
TX20	652450	FPF-ST 5,0 x 60 ZPP 500	■	36	500
TX20	652453	FPF-ST 5,0 x 70 ZPP 100	■	42	100
TX20	652454	FPF-ST 5,0 x 70 ZPP 200	■	42	200
TX20	652455	FPF-ST 5,0 x 80 ZPP 100	■	50	100
TX20	652456	FPF-ST 5,0 x 80 ZPP 200	■	50	200
TX20	652457	FPF-ST 5,0 x 90 ZPP 100	■	60	100
TX20	652458	FPF-ST 5,0 x 90 ZPP 200	■	60	200
TX20	652459	FPF-ST 5,0 x 100 ZPP 100	■	60	100
TX20	652460	FPF-ST 5,0 x 100 ZPP 200	■	60	200
TX20	652461	FPF-ST 5,0 x 110 ZPP 100	■	70	100
TX20	652462	FPF-ST 5,0 x 110 ZPP 200	■	70	200
TX20	652464	FPF-ST 5,0 x 120 ZPP 200	■	70	200

Diameter 6,0

Drive	Art.-No.		ETA-approval	Partial thread length l_g	Sales unit
	Art.-No.	Article name		[mm]	[pcs]
TX30	652467	FPF-ST 6,0 x 40 ZPP 200	■	24	200
TX30	652468	FPF-ST 6,0 x 40 ZPP 500	■	24	500
TX30	652469	FPF-ST 6,0 x 45 ZPP 200	■	30	200
TX30	652473	FPF-ST 6,0 x 50 ZPP 100	■	30	100
TX30	652474	FPF-ST 6,0 x 50 ZPP 400	■	30	400
TX30	652477	FPF-ST 6,0 x 60 ZPP 100	■	36	100
TX30	652478	FPF-ST 6,0 x 60 ZPP 200	■	36	200
TX30	652481	FPF-ST 6,0 x 70 ZPP 100	■	42	100
TX30	652482	FPF-ST 6,0 x 70 ZPP 200	■	42	200
TX30	652483	FPF-ST 6,0 x 80 ZPP 100	■	50	100
TX30	652484	FPF-ST 6,0 x 80 ZPP 200	■	50	200
TX30	652485	FPF-ST 6,0 x 90 ZPP 100	■	60	100
TX30	652488	FPF-ST 6,0 x 100 ZPP 100	■	60	100
TX30	652490	FPF-ST 6,0 x 110 ZPP 100	■	70	100
TX30	652492	FPF-ST 6,0 x 120 ZPP 100	■	70	100
TX30	652494	FPF-ST 6,0 x 130 ZPP 100	■	70	100
TX30	652496	FPF-ST 6,0 x 140 ZPP 100	■	70	100
TX30	652498	FPF-ST 6,0 x 150 ZPP 100	■	70	100
TX30	652500	FPF-ST 6,0 x 160 ZPP 100	■	70	100
TX30	652502	FPF-ST 6,0 x 180 ZPP 100	■	70	100
TX30	652504	FPF-ST 6,0 x 200 ZPP 100	■	70	100
TX30	652506	FPF-ST 6,0 x 220 ZPP 50	■	70	50
TX30	652508	FPF-ST 6,0 x 240 ZPP 50	■	70	50
TX30	652510	FPF-ST 6,0 x 260 ZPP 50	■	70	50
TX30	652512	FPF-ST 6,0 x 280 ZPP 50	■	70	50
TX30	652514	FPF-ST 6,0 x 300 ZPP 50	■	70	50