




Trumpet shape head with cross drive PH, phosphated, fine thread



APPROVALS



BUILDING MATERIALS

- Gypsum plasterboards on metal profiles and wooden posts
- Gypsum fibreboard on metal profiles and wooden posts
- Metal profiles on metal profiles

ADVANTAGES/BENEFITS

- With its wide product assortment, fischer drywall screws provide just the right solution for a wide range of different drywall structures.
- The screws are phosphate-treated and thus provide the necessary corrosion protection. This makes the screws safe and economical.
- The drywall screws in the belt system are the quick and efficient solution for serial machine assembly.


APPLICATIONS

- Installation of gypsum plasterboards on wooden posts and metal profiles up to 2 mm thick
- Connection of metal profiles

FUNCTIONING

- The drywall screw with trumpet shape head and fine thread fastens gypsum plasterboards to metal profiles of up to 0.7 mm thick.
- The drywall screw with trumpet shape head and coarse thread fastens gypsum plasterboards to wooden posts easily and safely.
- The drywall screw with fine thread and drill tip secures gypsum plasterboards to 2 mm thick metal profiles with no pre-drilling required.
- The gypsum fibreboard screw with HiLo thread is specially designed for fastening gypsum fibreboards to metal and wooden posts.
- Profile joining screws are available with and without drill tip based on profile thickness.

TECHNICAL DATA



FSN-TPD

Diameter 3,5

Diameter d [mm]	Length l [mm]	Drive	Art.-No.	Article name	Full thread length l _g [mm]	Sales unit [pcs]
3,5	25	PH 2	040512	FSN-TPD 3,5 x 25 F 1000	19	1000
3,5	35	PH 2	665001	FSN-TPD 3,5 x 35 F 1000	29	1000
3,5	45	PH 2	665002	FSN-TPD 3,5 x 45 F 1000	39	1000
3,5	55	PH 2	665003	FSN-TPD 3,5 x 55 F 1000	49	1000

Diameter 3,9

Diameter d [mm]	Length l [mm]	Drive	Art.-No.	Article name	Full thread length l _g [mm]	Sales unit [pcs]
3,9	25	PH 2	665007	FSN-TPD 3,9 x 25 F 1000	19	1000
3,9	30	PH 2	665011	FSN-TPD 3,9 x 30 F 1000	24	1000
3,9	35	PH 2	665015	FSN-TPD 3,9 x 35 F 1000	29	1000
3,9	45	PH 2	665019	FSN-TPD 3,9 x 45 F 1000	39	1000
3,9	55	PH 2	665022	FSN-TPD 3,9 x 55 F 600	49	600