


## CSK head, PZ, blue zinc-plated, partial thread



### APPROVALS



### BUILDING MATERIALS

- Glued-laminated timber
- Cross-laminated timber
- Laminated veneer plywood panels (e.g. Multiplex)
- Hard woods (pre-drilled)
- Chipboards and oriented strand boards (e.g. OSB panels)
- Plywood
- Solid wood panels
- Soft woods
- And many other wood materials



### ADVANTAGES/BENEFITS

- The unique Power-Fast thread reaches into the screw tip and ensures a fast bite. This makes your work noticeably easier with all wood materials.
- The shank ribs (for screws with partial thread from 50 mm in length and up) substantially reduce drive-in resistance and thus enable greater power and battery conservation in your work.
- The optimised head geometry enables an exact and splinter-free surface finish without the screw twisting off, even with connections close to the edge.
- The ETA approval guarantees the high safety standard and the premium quality of fischer Power-Fast screws.

### APPLICATIONS

- General wood joints
- Finger tightening elements
- Safety-relevant applications
- Plankings
- Skirting
- Door and metal fittings

### FUNCTIONING

- Screws with partial threads can lock wood parts into place by tightening them against each other.
- Full-thread screws are recommended for mounting thin parts and in less firm wood materials (e.g. soft woods).
- Screws with countersunk head can be flush mounted with the wood.
- Pan-Head screws are particularly well suited for metal and wood joints.
- The raised countersunk head is particularly suitable for joints where the screw head is visible and needs to leave behind an attractive appearance.

### TECHNICAL DATA



FPF-SZ ZPP

## Diameter 3,0

Drive	Art.-No.		ETA-approval	Partial thread length $l_g$	Sales unit
	Art.-No.	Article name		[mm]	[pcs]
PZ1	<b>652042</b>	<b>FPF-SZ 3,0 x 35 ZPP 200</b>	■	24	200
PZ1	<b>652043</b>	<b>FPF-SZ 3,0 x 35 ZPP 1000</b>	■	24	1000
PZ1	<b>652046</b>	<b>FPF-SZ 3,0 x 40 ZPP 200</b>	■	24	200
PZ1	<b>652047</b>	<b>FPF-SZ 3,0 x 40 ZPP 1000</b>	■	24	1000
PZ1	<b>652050</b>	<b>FPF-SZ 3,0 x 45 ZPP 200</b>	■	30	200
PZ1	<b>652051</b>	<b>FPF-SZ 3,0 x 45 ZPP 1000</b>	■	30	1000

## Diameter 3,5

Drive	Art.-No.		ETA-approval	Partial thread length $l_g$	Sales unit
	Art.-No.	Article name		[mm]	[pcs]
PZ2	<b>652075</b>	<b>FPF-SZ 3,5 x 35 ZPP 200</b>	■	24	200
PZ2	<b>652076</b>	<b>FPF-SZ 3,5 x 35 ZPP 1000</b>	■	24	1000
PZ2	<b>652080</b>	<b>FPF-SZ 3,5 x 40 ZPP 200</b>	■	24	200
PZ2	<b>652081</b>	<b>FPF-SZ 3,5 x 40 ZPP 1000</b>	■	24	1000
PZ2	<b>652084</b>	<b>FPF-SZ 3,5 x 45 ZPP 200</b>	■	30	200
PZ2	<b>652085</b>	<b>FPF-SZ 3,5 x 45 ZPP 500</b>	■	30	500
PZ2	<b>652087</b>	<b>FPF-SZ 3,5 x 50 ZPP 200</b>	■	30	200

**Diameter 4,0**

Drive	Art.-No.		ETA-approval	Partial thread length $l_g$	Sales unit
	Art.-No.	Article name		[mm]	[pcs]
PZ2	652109	FPF-SZ 4,0 x 30 ZPP 200	■	18	200
PZ2	652110	FPF-SZ 4,0 x 30 ZPP 1000	■	18	1000
PZ2	652114	FPF-SZ 4,0 x 35 ZPP 200	■	24	200
PZ2	652115	FPF-SZ 4,0 x 35 ZPP 1000	■	24	1000
PZ2	652119	FPF-SZ 4,0 x 40 ZPP 200	■	24	200
PZ2	652120	FPF-SZ 4,0 x 40 ZPP 1000	■	24	1000
PZ2	652124	FPF-SZ 4,0 x 45 ZPP 200	■	30	200
PZ2	652125	FPF-SZ 4,0 x 45 ZPP 500	■	30	500
PZ2	652129	FPF-SZ 4,0 x 50 ZPP 200	■	30	200
PZ2	652130	FPF-SZ 4,0 x 50 ZPP 500	■	30	500
PZ2	652132	FPF-SZ 4,0 x 55 ZPP 200	■	36	200
PZ2	652133	FPF-SZ 4,0 x 55 ZPP 500	■	36	500
PZ2	652135	FPF-SZ 4,0 x 60 ZPP 200	■	36	200
PZ2	652136	FPF-SZ 4,0 x 60 ZPP 500	■	36	500
PZ2	652137	FPF-SZ 4,0 x 70 ZPP 100	■	42	100
PZ2	652138	FPF-SZ 4,0 x 70 ZPP 500	■	42	500

**Diameter 4,5**

Drive	Art.-No.		ETA-approval	Partial thread length $l_g$	Sales unit
	Art.-No.	Article name		[mm]	[pcs]
PZ2	652157	FPF-SZ 4,5 x 35 ZPP 200	■	24	200
PZ2	652158	FPF-SZ 4,5 x 35 ZPP 500	■	24	500
PZ2	652162	FPF-SZ 4,5 x 40 ZPP 200	■	24	200
PZ2	652163	FPF-SZ 4,5 x 40 ZPP 500	■	24	500
PZ2	652167	FPF-SZ 4,5 x 45 ZPP 200	■	30	200
PZ2	652168	FPF-SZ 4,5 x 45 ZPP 500	■	30	500
PZ2	652172	FPF-SZ 4,5 x 50 ZPP 200	■	30	200
PZ2	652177	FPF-SZ 4,5 x 60 ZPP 100	■	36	100
PZ2	652178	FPF-SZ 4,5 x 60 ZPP 500	■	36	500
PZ2	652180	FPF-SZ 4,5 x 70 ZPP 100	■	42	100
PZ2	652183	FPF-SZ 4,5 x 80 ZPP 200	■	50	200

**Diameter 5,0**

Drive	Art.-No.		ETA-approval	Partial thread length $l_g$	Sales unit
	Art.-No.	Article name		[mm]	[pcs]
PZ2	<b>652203</b>	<b>FPF-SZ 5,0 x 40 ZPP 200</b>	■	24	200
PZ2	<b>652208</b>	<b>FPF-SZ 5,0 x 45 ZPP 200</b>	■	30	200
PZ2	<b>652213</b>	<b>FPF-SZ 5,0 x 50 ZPP 200</b>	■	30	200
PZ2	<b>652215</b>	<b>FPF-SZ 5,0 x 55 ZPP 100</b>	■	36	100
PZ2	<b>652220</b>	<b>FPF-SZ 5,0 x 60 ZPP 100</b>	■	36	100
PZ2	<b>652221</b>	<b>FPF-SZ 5,0 x 60 ZPP 500</b>	■	36	500
PZ2	<b>652223</b>	<b>FPF-SZ 5,0 x 70 ZPP 100</b>	■	42	100
PZ2	<b>652224</b>	<b>FPF-SZ 5,0 x 70 ZPP 200</b>	■	42	200
PZ2	<b>652226</b>	<b>FPF-SZ 5,0 x 80 ZPP 100</b>	■	50	100
PZ2	<b>652227</b>	<b>FPF-SZ 5,0 x 80 ZPP 200</b>	■	50	200
PZ2	<b>652228</b>	<b>FPF-SZ 5,0 x 90 ZPP 100</b>	■	60	100
PZ2	<b>652231</b>	<b>FPF-SZ 5,0 x 100 ZPP 100</b>	■	60	100
PZ2	<b>652232</b>	<b>FPF-SZ 5,0 x 100 ZPP 200</b>	■	60	200
PZ2	<b>652233</b>	<b>FPF-SZ 5,0 x 110 ZPP 100</b>	■	70	100
PZ2	<b>652234</b>	<b>FPF-SZ 5,0 x 110 ZPP 200</b>	■	70	200
PZ2	<b>652237</b>	<b>FPF-SZ 5,0 x 120 ZPP 200</b>	■	70	200

**Diameter 6,0**

Drive	Art.-No.		ETA-approval	Partial thread length $l_g$	Sales unit
	Art.-No.	Article name		[mm]	[pcs]
PZ3	652242	FPF-SZ 6,0 x 40 ZPP 200	■	24	200
PZ3	652249	FPF-SZ 6,0 x 50 ZPP 100	■	30	100
PZ3	652255	FPF-SZ 6,0 x 60 ZPP 200	■	36	200
PZ3	652257	FPF-SZ 6,0 x 70 ZPP 100	■	42	100
PZ3	652258	FPF-SZ 6,0 x 70 ZPP 200	■	42	200
PZ3	652260	FPF-SZ 6,0 x 80 ZPP 100	■	50	100
PZ3	652261	FPF-SZ 6,0 x 80 ZPP 200	■	50	200
PZ3	652262	FPF-SZ 6,0 x 90 ZPP 100	■	60	100
PZ3	652263	FPF-SZ 6,0 x 90 ZPP 200	■	60	200
PZ3	652266	FPF-SZ 6,0 x 100 ZPP 100	■	60	100
PZ3	652267	FPF-SZ 6,0 x 110 ZPP 50	■	70	50
PZ3	652271	FPF-SZ 6,0 x 120 ZPP 100	■	70	100
PZ3	652276	FPF-SZ 6,0 x 140 ZPP 100	■	70	100
PZ3	652281	FPF-SZ 6,0 x 160 ZPP 100	■	70	100
PZ3	652284	FPF-SZ 6,0 x 180 ZPP 100	■	70	100
PZ3	652287	FPF-SZ 6,0 x 200 ZPP 100	■	70	100
PZ3	652289	FPF-SZ 6,0 x 220 ZPP 50	■	70	50
PZ3	652291	FPF-SZ 6,0 x 240 ZPP 50	■	70	50