
FDF-ST YZP

Small countersunk head 75° with TX-star recess, yellow zincplated, partial thread



APPROVALS



ADVANTAGES/BENEFITS

- The MDF board screw has a small 75° countersunk head. This head is countersunk flush and thus provides a high-quality and inconspicuous surface appearance.
- The Power-Fast thread reaches into the screw tip and ensures a fast bite. This makes your work noticeably easier.
- The shank ribs reduce drive-in resistance and thereby enable power and battery conservation in your work.

ADVANTAGES/BENEFITS

- The MDF board screw has a small 75° countersunk head. This head is countersunk flush and thus provides a high-quality and inconspicuous surface appearance.
- The Power-Fast thread reaches into the screw tip and ensures a fast bite. This makes your work noticeably easier.
- The shank ribs reduce drive-in resistance and thereby enable power and battery conservation in your work.

FUNCTIONING

 With the Power-Fast thread, the MDF board screw can be handled easily and quickly without predrilling.



FDF-ST YZP

Diameter 3.5

Diameter d	Length	Drive	ArtNo.		Partial thread length	Sales unit
[mm]	[mm]		ArtNo.	Article name	[mm]	[pcs]
3,5	40	TX10	660201	FDF-ST 3,5 x 40 YZP 200	24	200
3,5	45	TX10	660202	FDF-ST 3,5 x 45 YZP 200	30	200
3,5	50	TX10	660203	FDF-ST 3,5 x 50 YZP 200	30	200

FDF-ST YZP



Diameter 4,0

Diameter d	Length	Drive	ArtNo.		Partial thread length	Sales unit
[mm]	[mm]		ArtNo.	Article name	[mm]	[pcs]
4,0	40	TX20	660204	FDF-ST 4,0 x 40 YZP 200	24	200
4,0	45	TX20	660205	FDF-ST 4,0 x 45 YZP 200	30	200
4,0	50	TX20	660206	FDF-ST 4,0 x 50 YZP 200	30	200
4.0	60	TX20	660207	FDF-ST 4.0 x 60 YZP 100	36	100

FDF-ST YZP



Diameter 4,5

Diameter d	Length	Drive	ArtNo.		Partial thread length	Sales unit
[mm]	[mm]		ArtNo.	Article name	[mm]	[pcs]
4,5	45	TX20	660208	FDF-ST 4,5 x 45 YZP 200	30	200
4.5	50	TX20	660209	FDF-ST 4.5 x 50 YZP 200	30	200