


CSK head, TX, yellow zinc-plated, partial thread



BUILDING MATERIALS

- Glued-laminated timber
- Cross-laminated timber
- Laminated veneer plywood panels
- Oriented strand boards (e.g. OSB panels)
- Solid structural timber
- Glued timber boards on solid wood
- Soft wood (e.g. Douglas, spruce, pine, fir, etc.)
- And other wood materials

APPROVALS



ADVANTAGES/BENEFITS

- The unique Power-Fast thread reaches into the screw tip and ensures a fast bite. This makes installation simple and safe even with the large screw dimension used specifically for load-bearing wood structures.
- The shank ribs reduce drive-in resistance and thereby enable power and battery conservation in your work.
- The wood construction screw with flange head can hold much greater loads thanks to the higher pull-through resistance.
- The ETA approval guarantees the high safety standard and the premium quality of fischer Power-Fast screws.

APPLICATIONS

- Safety-relevant applications
- Wood frame construction
- Post construction
- Timber houses
- Rooftop insulation systems
- Car ports
- Conservatories
- Playground equipment

FUNCTIONING

- Screws with countersunk head can be flush mounted with the wood.
- Additional washers can also optionally be used for screws with a countersunk head. These washers also increase the pull-through resistance.

TECHNICAL DATA



FPF-ST YZP

Diameter 8,0

Diameter d [mm]	Length l [mm]	Drive	Art.-No. Art.-No.	Article name	ETA-approval	Partial thread length l _g [mm]	Sales unit [pcs]
8,0	80	TX40	659323	FPF-ST 8,0 x 80 YZP 50	■	50	50
8,0	100	TX40	659324	FPF-ST 8,0 x 100 YZP 50	■	50	50
8,0	120	TX40	659325	FPF-ST 8,0 x 120 YZP 50	■	75	50
8,0	140	TX40	659326	FPF-ST 8,0 x 140 YZP 50	■	75	50
8,0	160	TX40	659327	FPF-ST 8,0 x 160 YZP 50	■	75	50
8,0	180	TX40	659328	FPF-ST 8,0 x 180 YZP 50	■	75	50
8,0	200	TX40	659329	FPF-ST 8,0 x 200 YZP 50	■	100	50
8,0	220	TX40	659330	FPF-ST 8,0 x 220 YZP 50	■	100	50
8,0	240	TX40	659331	FPF-ST 8,0 x 240 YZP 50	■	100	50
8,0	260	TX40	659332	FPF-ST 8,0 x 260 YZP 50	■	100	50
8,0	280	TX40	659333	FPF-ST 8,0 x 280 YZP 50	■	100	50
8,0	300	TX40	659334	FPF-ST 8,0 x 300 YZP 50	■	100	50
8,0	320	TX40	659201	FPF-ST 8,0 x 320 YZP 50	■	100	50
8,0	340	TX40	659202	FPF-ST 8,0 x 340 YZP 50	■	100	50
8,0	360	TX40	659203	FPF-ST 8,0 x 360 YZP 50	■	100	50
8,0	380	TX40	659204	FPF-ST 8,0 x 380 YZP 50	■	100	50
8,0	400	TX40	659205	FPF-ST 8,0 x 400 YZP 50	■	100	50
8,0	450	TX40	659206	FPF-ST 8,0 x 450 YZP 50	■	100	50
8,0	500	TX40	659207	FPF-ST 8,0 x 500 YZP 50	■	100	50

Diameter 10,0

Diameter d [mm]	Length l [mm]	Drive	Art.-No.	Article name	ETA-approval	Partial thread length l _g [mm]	Sales unit [pcs]
10,0	80	TX40	659208	FPF-ST 10,0 x 80 YZP 50	■	52	50
10,0	100	TX40	659209	FPF-ST 10,0 x 100 YZP 50	■	52	50
10,0	120	TX40	659210	FPF-ST 10,0 x 120 YZP 50	■	80	50
10,0	140	TX40	659211	FPF-ST 10,0 x 140 YZP 50	■	80	50
10,0	160	TX40	659212	FPF-ST 10,0 x 160 YZP 50	■	80	50
10,0	180	TX40	659213	FPF-ST 10,0 x 180 YZP 50	■	100	50
10,0	200	TX40	659214	FPF-ST 10,0 x 200 YZP 50	■	100	50
10,0	220	TX40	659215	FPF-ST 10,0 x 220 YZP 50	■	100	50
10,0	240	TX40	659216	FPF-ST 10,0 x 240 YZP 50	■	100	50
10,0	260	TX40	659217	FPF-ST 10,0 x 260 YZP 50	■	100	50
10,0	280	TX40	659218	FPF-ST 10,0 x 280 YZP 50	■	115	50
10,0	300	TX40	659219	FPF-ST 10,0 x 300 YZP 50	■	115	50
10,0	320	TX40	659220	FPF-ST 10,0 x 320 YZP 50	■	115	50
10,0	340	TX40	659221	FPF-ST 10,0 x 340 YZP 50	■	115	50
10,0	360	TX40	659222	FPF-ST 10,0 x 360 YZP 50	■	115	50
10,0	380	TX40	659223	FPF-ST 10,0 x 380 YZP 50	■	115	50
10,0	400	TX40	659224	FPF-ST 10,0 x 400 YZP 50	■	115	50
10,0	450	TX40	659225	FPF-ST 10,0 x 450 YZP 50	■	115	50
10,0	500	TX40	659226	FPF-ST 10,0 x 500 YZP 50	■	115	50

Diameter 12,0

Diameter d [mm]	Length l [mm]	Drive	Art.-No. Art.-No.	Article name	ETA-approval	Partial thread length l _g [mm]	Sales unit [pcs]
12,0	160	TX50	659230	FPF-ST 12,0 x 160 YZP 25	■	80	25
12,0	180	TX50	659231	FPF-ST 12,0 x 180 YZP 25	■	100	25
12,0	200	TX50	659232	FPF-ST 12,0 x 200 YZP 25	■	100	25
12,0	220	TX50	659233	FPF-ST 12,0 x 220 YZP 25	■	100	25
12,0	240	TX50	659234	FPF-ST 12,0 x 240 YZP 25	■	120	25
12,0	260	TX50	659235	FPF-ST 12,0 x 260 YZP 25	■	120	25
12,0	280	TX50	659236	FPF-ST 12,0 x 280 YZP 25	■	120	25
12,0	300	TX50	659237	FPF-ST 12,0 x 300 YZP 25	■	120	25
12,0	350	TX50	659238	FPF-ST 12,0 x 350 YZP 25	■	145	25
12,0	400	TX50	659239	FPF-ST 12,0 x 400 YZP 25	■	145	25
12,0	450	TX50	659240	FPF-ST 12,0 x 450 YZP 25	■	145	25
12,0	500	TX50	659241	FPF-ST 12,0 x 500 YZP 25	■	145	25