Commercial Product Name: FIS HB 345 S - Mortar (Component A)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017 Version: 5.2 /en

Print date: 05.04.2017

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Commercial Product Name FIS HB 345 S - Mortar (Component A)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses composite mortar

Recommended restrictions None under normal processing. Observe technical data sheet.

1.3 Details of the supplier of the safety data sheet

Company designation fischerwerke GmbH & Co. KG

> Klaus-Fischer-Straße 1 D-72178 Waldachtal

Telephone: +49(0)7443 12-0 FAX: +49(0)7443 12-4222 Email: info-sdb@fischer.de Internet: www.fischer.de

Marketer Great Britain: Mrs Mirka Valovicova, fischer Fixing (UK) Ltd, Hithercroft

Road, Wallingford, Oxfordshire, OX10 9AT, Tel. 01491 827 920, Fax

01491 827 950

1.4 Emergency telephone number

Emergency telephone number +49(0)6132-84463 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Reg-Skin Sens. 1; H317

ulation (EC) No. 1272/2008

2.2 Label elements

Hazard pictogram



GHS07

Signal word Warning

Hazardous component(s) to be

indicated on label

tetramethylendimethacrylat, 2-hydroxypropyl methacrylate

H-statement(s) H317: May cause an allergic skin reaction.

Commercial Product Name: FIS HB 345 S - Mortar (Component A)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017

Version : 5.2 /en Print date : 05.04.2017

P-statement(s) P101: If medical advice is needed, have product container or label at

hand.

P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

2.3 Other hazards

Health hazard None known.

Particular information pertaining specific risk for human / enNone known.

vironment

Indication of danger None known.

Hazard precautions None known.

SECTION 3: Composition/information on ingredients

Hazardous ingredients

Ingredient		Classification (EC) 1272/2008	Concen- tration
tetramethylendimethacrylat	CAS No. : 2082-81-7 EC-No. : 218-218-1 REACH No. : 01-2119967415-30	Skin Sens. 1; H317	2.5 – 10.0 % by weight
2-hydroxypropyl methacry- late	CAS No.: 27813-02-1 EC-No.: 248-666-3 REACH No.: 01-2119490226-37	Skin Sens. 1; H317 Eye Irrit. 2; H319	< 2.5 % by weight

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice If symptoms persist, call a physician.

Remove/Take off immediately all contaminated clothing.

If INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

In case of skin contact IF ON SKIN: Gently wash with plenty of soap and water.

with plenty of water, also under the eyelids, for at least 15 minutes.

If swallowed, seek medical advice immediately and show this contain-

er or label.

Clean mouth with water and drink afterwards plenty of water. Drink 1

or 2 glasses of water. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms None known.

Commercial Product Name: FIS HB 345 S - Mortar (Component A)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017 Version: 5.2 /en

Print date: 05.04.2017

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention No data available Special medical treatment No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2)

Dry powder

Foam

Water spray jet

Extinguishing media which must High volume water jet

not be used for safety reasons

5.2 Special hazards arising from the substance or mixture

Special exposure hazards arising Heating or fire can release toxic gas.

from the substance or preparation itself, its combustion prod-

ucts, or released gases

5.3 Advice for firefighters

Special protective equipment for In the event of fire, wear self-contained breathing apparatus. firefighting

In the event of fire and/or explosion do not breathe fumes.

Additional information on fire-

fighting

Fire residues and contaminated fire extinguishing water must be dis-

posed of in accordance with local regulations.

Keep containers and surroundings cool with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Environmental precautions The product should not be allowed to enter drains, water courses or

the soil.

Prevent spreading over a wide area (e.g. by containment or oil barri-

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Use mechanical handling equipment.

Treat recovered material as described in the section "Disposal consid-

erations".

Commercial Product Name: FIS HB 345 S - Mortar (Component A)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017 Version: 5.2 /en

Print date: 05.04.2017

6.4 Reference to other sections

Reference to other sections See chapter 8/13

6.5 Additional information

Other information Dispose of in accordance with local regulations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling None under normal processing.

Caution: During machining in cured state dust is formed.

Advice on protection against fire No special precautions required.

and explosion

Keep only in original container.

7.2 Conditions for safe storage, including any incompatibilities

Storage space and container re-

Keep containers tightly closed in a cool, well-ventilated place.

quirements

Store in accordance with local regulations.

Hints on storage assembly

Store in accordance with the particular national regulations.

German storage class

10-13 (TRGS 510)

7.3 Specific end use(s)

Specific use(s) composite mortar

Further information: see technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls

Respiratory protection No personal respiratory protective equipment normally required.

Hand protection not required under normal use

Suitable material: butyl-rubber, Chloroprene, Nitrile rubber

Unsuitable material: PVC disposable gloves

Material thickness: adjust to application and duration of use

Break through time: adjust to application and duration of use

Remarks: Take note of the information given by the producer concerning per-

meability and break through times, and of special workplace condi-

tions (mechanical strain, duration of contact).

Reference substance: Replace when worn.

Commercial Product Name: FIS HB 345 S - Mortar (Component A)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017

Version: 5.2 /en Print date: 05.04.2017

Eye protection Tightly fitting safety goggles

Skin and body protection Wear suitable protective equipment.

Note: Choose body protection according to the amount and concentration

of the dangerous substance at the work place.

General protective and hygiene

measures

Smoking, eating and drinking should be prohibited in the application

area.

Avoid contact with skin, eyes and clothing.

Take off all contaminated clothing immediately.

Wash hands before breaks and at the end of workday.

Keep away from food, drink and animal feedingstuffs.

Use protective skin cream before handling the product.

Information on environmental

protection regulations

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form paste

Colour green

Odour characteristic

Odour threshold not determined

pH No data available

Melting point [°C] / Freezing

point [°C]

No data available

Boiling point [°C] no data available

Flash point [°C] > 100

Evaporation rate [kg/(s*m²)] No data available

Flammability (solid, gas) No data available

Explosion limits [Vol-%]

Lower limit : not determined

Upper limit : not determined

Vapour pressure [kPa] No data available

Vapour density No data available

Density $[g/cm^3]$ 1,7 - 1,8

Temperature: 20 °C

Relative density No data available

Solubility No data available

Commercial Product Name: FIS HB 345 S - Mortar (Component A)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017

Version: 5.2 /en Print date: 05.04.2017

Water solubility [g/l] not determined

Solubility [g/l] No data available

Partition coefficient n-octanol /

water (log P O/W)

No data available

Autoinflammability not auto-flammable

Decomposition temperature [°C] not determined

Viscosity, dynamic [kg/(m*s)] > 200

Temperature: 20 °C

Explosive properties Not explosive

Risk of explosion. Not explosive

Oxidising properties No

9.2 Other information

Relative vapour density (air=1) not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

Thermal decomposition No decomposition if stored and applied as directed.

10.2 Chemical stability

Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid Not applicable.

10.6 Hazardous decomposition products

Hazardous decomposition prod- No decomposition if used as directed.

ucts

Commercial Product Name: FIS HB 345 S - Mortar (Component A)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017 Version: 5.2 /en

Print date: 05.04.2017

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Hazardous ingredients

Tetramethylen dimethacrylate

Oral toxicity [mg/kg]	Test criterion	Test species	Source
> 2000	LD50	rat	100

Source: 100 - Company data

Dermal toxicity [mg/kg]	Test criterion	Test species	Source
> 3000	LD50	rabbit	100

Source: 100 - Company data

Inhalative toxicity [mg/l]	Source
No data available	100

Source: 100 - Company data

Sensitization Skin sensitizer

Carcinogenic effects Contains no ingredient listed as a carcinogen

Mutagenicity Not applicable. Reproduction toxicity Not applicable.

Caustic effect Not applicable.

Specific target organ toxicity (single exposure) [mg/kg]	Specific effects	Source
	none	100

Source: 100 - Company data

Specific target organ toxicity (repeated exposure) [mg/kg]	Specific effects	Source
	none	100

Source: 100 - Company data

2-hydroxypropyl methacrylate

Oral toxicity [mg/kg]	Test criterion	Test species	Remarks	Source
> 2000	LD50	rat	OECD 401 Limit Test.	100

Source: 100 - Company data

Dermal toxicity [mg/kg]	Test criterion	Test species	Source
> 5000	LD50	rabbit	100

Source: 100 - Company data

Inhalative toxicity [mg/l]	Source
No data available	100

Commercial Product Name: FIS HB 345 S - Mortar (Component A)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017 Version: 5.2 /en

Print date: 05.04.2017

Source: 100 - Company data

Mutagenicity

Sensitization Skin sensitizer Carcinogenic effects Not applicable. Not applicable.

OECD 471 (Ames Test) / OECD 476. Remarks

Reproduction toxicity Not applicable.

OECD 422. Remarks

Caustic effect Not applicable.

Specific target organ toxicity (single expo-	Remarks	Source
sure) [mg/kg]		
	Not applicable.	100

Source: 100 - Company data

Specific target organ toxicity (repeated expo-	Remarks	Source
sure) [mg/kg]		
	Not applicable.	100

Source: 100 - Company data

Irritant effect on skin Irritating to skin and mucous membranes

Irritant effect on eyes Irritating to eyes.

11.2 Additional information

Other information (chapter 11.) The product itself has not been tested.

SECTION 12: Ecological information

12.1 Toxicity

Hazardous ingredients

Tetramethylen dimethacrylate

Toxicity to fish [mg/l]	Test criterion	Measuring method	Exposure duration	Source
32,5	LC50	DIN 38412	48 h	100

Source: 100 - Company data

Toxicity to algae [mg/	Test criterion	Test species	Measuring method	Source
[]				
9,79	EC50	Scenedesmus capricor- nutum (fresh water al- gae)	OECD Test Guideline 201	100

Source: 100 - Company data

NOEC (daphnia) [mg/l]	Test species	Measuring method	Source
7,51	Daphnia magna (Big water flea).	OECD 211	100

Commercial Product Name: FIS HB 345 S - Mortar (Component A)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017 Version: 5.2 /en

Print date: 05.04.2017

Source: 100 - Company data

Biodegradability Readily biodegradable.

Ready degradability

2-hydroxypropyl methacrylate

Toxicity to fish [mg/l]	Test criterion	Test species	Measuring method	Exposure dura- tion	Source
493	LC50	Leuciscus idus (Golden orfe)	DIN 38412	48 h	100

Source: 100 - Company data

Toxicity to daph- nia [mg/l]	Test criterion	Test species	Exposure dura- tion	Measuring method	Source
> 130	EC50	Daphnia magna (Water flea)	48 h	OECD Test Guide- line 202	100

Source: 100 - Company data

Toxicity to algae	Test criterion	Test species	Exposure dura-	Measuring	Source
[mg/l]			tion	method	
> 97,2	EC50	Selenastrum capri-	72 h	OECD Test Guide-	100
		cornutum		line 201	

Source: 100 - Company data

NOEC (daphnia) [mg/l]	Test criterion	Test species	Measuring method	Exposure dura- tion	Source
24,1	NOEC	Daphnia magna (Big water flea).	OECD 202	21 d	100

Source: 100 - Company data

Biodegradability Readily biodegradable.

Ready degradability

12.2 Persistence and degradability

Elimination and distribution

There is no data available for this product.

mechanisms

There is no data available for this product. Elimination in purification plant

12.3 Bioaccumulative potential

Bioaccumulation There is no data available for this product.

Bioconcentration factor (BCF) There is no data available for this product.

12.4 Mobility in soil

Distribution in the environment There is no data available for this product.

Mobility

There is no data available for this product. Mobility:

Commercial Product Name: FIS HB 345 S - Mortar (Component A)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017

Version : 5.2 /en Print date : 05.04.2017

12.5 Results of PBT and vPvB assessment

Results of PBT characteristics

determination

This preparation contains no substance considered to be very persis-

tent nor very bioaccumulating (vPvB).

12.6 Other adverse effects

Further information on ecology The product itself has not been tested.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal considerations The product should not be allowed to enter drains, water courses or

the soil.

Dispose of waste according to applicable legislation.

Empty remaining contents.

Waste Code According to the European Waste Catalogue, Waste Codes are not

product specific, but application specific.

The following Waste Codes are only suggestions:

Product (Mortar and Curing agent)

200127 - paint, inks, adhesives and resins containing dangerous

substances

080409 - waste adhesives and sealants containing organic solvents

or other dangerous substances

cured material and completely squeezed cartridges

200000 - MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING

SEPARATELY COLLECTED FRACTIONS

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
14.1 UN-No	Not applicable.	Not applicable.	Not applicable.
14.2 Description of the	No dangerous good ac-	No dangerous good ac-	No dangerous good ac-
goods	cording to ADR	cording to IMDG	cording to IATA
14.2 UN proper shipping		Non dangerous good	Non dangerous good
name			
14.3 Transport hazard	Not applicable.	Not applicable.	Not applicable.
class(es)			
14.4 Packaging group	Not applicable.	Not applicable.	Not applicable.
14.5 Environmental haz-	Not applicable.	Not applicable.	Not applicable.
ards			
Danger releasing sub-	Not applicable.	Not applicable.	Not applicable.
stance			

14.6 Special precautions for user

Precautions not required under normal use

Commercial Product Name: FIS HB 345 S - Mortar (Component A)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017 Version: 5.2 /en

Print date: 05.04.2017

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to

not applicable

Annex II of MARPOL and the IBC

Code

14.8 Additional information

Other information (chapter 14.) Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code,

ICAO/IATA-DGR

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Decopaint regulation Exempt

Carcinogenic hazardous sub-

stance as per Annex II GefStoffV

Restriction of occupation. Exempt

Water Hazard Class (Ger.) 1

Cassification in compliance with

Exempt

the Industrial Safety Regulation

15.2 Chemical safety assessment

Safety assessment Not relevant. Chemical safety assessments for substances in this mix-

ture were not carried out.

Additional regulations Not applicable.

SECTION 16: Other information

Relevant H-phrases H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

Wording of the hazard classes Skin Sens.: Skin sensitization

Eye Irrit.: Serious eye irritation

Classification for mixtures and used evaluation method according to regulation (EC)

Classification Skin Sens. 1; H317 **Evaluation** Calculated

1272/2008 [CLP]

Recommended restrictions None under normal processing. Observe technical data sheet.

Modifications of the previous version are denoted with an asterisk (*).

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.

Commercial Product Name: FIS HB 345 S - Hardener (Component B)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017

Print date: 05.04.2017 Version: 6.2 /en

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Commercial Product Name FIS HB 345 S - Hardener (Component B)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses composite mortar

Recommended restrictions None under normal processing. Observe technical data sheet.

1.3 Details of the supplier of the safety data sheet

Company designation fischerwerke GmbH & Co. KG

> Klaus-Fischer-Straße 1 D-72178 Waldachtal

Telephone: +49(0)7443 12-0 FAX: +49(0)7443 12-4222 Email: info-sdb@fischer.de Internet: www.fischer.de

Marketer Great Britain: Mrs Mirka Valovicova, fischer Fixing (UK) Ltd, Hithercroft

Road, Wallingford, Oxfordshire, OX10 9AT, Tel. 01491 827 920, Fax

01491 827 950

1.4 Emergency telephone number

Emergency telephone number +49(0)6132-84463 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Reg-Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411

ulation (EC) No. 1272/2008

2.2 Label elements

Hazard pictogram



GHS07



GHS09

Signal word Warning

Hazardous component(s) to be

indicated on label

dibenzoyl peroxide

H-statement(s) H319: Causes serious eye irritation.

H317: May cause an allergic skin reaction.

Commercial Product Name: FIS HB 345 S - Hardener (Component B)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017

H411: Toxic to aquatic life with long lasting effects.

P-statement(s) P102: Keep out of reach of children.

P101: If medical advice is needed, have product container or label at

hand.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

2.3 Other hazards

Health hazard None known.

Particular information pertain- None known.

ing specific risk for human / en-

vironment

Indication of danger None known.
Hazard precautions None known.

SECTION 3: Composition/information on ingredients

Hazardous ingredients

Ingredient		Classification (EC) 1272/2008	Concen- tration
dibenzoyl peroxide	FC N 202 227 C	Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400	10.0 – 25.0 % by weight

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice If symptoms persist, call a physician.

Remove/Take off immediately all contaminated clothing.

If inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

In case of skin contact IF ON SKIN: Gently wash with plenty of soap and water.

with plenty of water, also under the eyelids, for at least 15 minutes.

If swallowed, seek medical advice immediately and show this contain-

er or label.

Clean mouth with water and drink afterwards plenty of water. Drink ${\bf 1}$

or 2 glasses of water. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms None known.

Commercial Product Name: FIS HB 345 S - Hardener (Component B)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017 Version: 6.2 /en

Print date: 05.04.2017

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention No data available No data available Special medical treatment

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2)

Dry powder

Foam

Water spray jet

Extinguishing media which must High volume water jet

not be used for safety reasons

5.2 Special hazards arising from the substance or mixture

Special exposure hazards arising Heating or fire can release toxic gas.

from the substance or preparation itself, its combustion prod-

ucts, or released gases

5.3 Advice for firefighters

Special protective equipment for In the event of fire, wear self-contained breathing apparatus.

firefighting In the event of fire and/or explosion do not breathe fumes.

Additional information on fire-

fighting

Fire residues and contaminated fire extinguishing water must be dis-

posed of in accordance with local regulations.

Keep containers and surroundings cool with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Environmental precautions The product should not be allowed to enter drains, water courses or

the soil.

Prevent spreading over a wide area (e.g. by containment or oil barri-

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Use mechanical handling equipment.

Treat recovered material as described in the section "Disposal consid-

erations".

Commercial Product Name: FIS HB 345 S - Hardener (Component B)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017

Print date: 05.04.2017 Version: 6.2 /en

6.4 Reference to other sections

Reference to other sections See chapter 8/13

6.5 Additional information

Other information Dispose of in accordance with local regulations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling None under normal processing.

Caution: During machining in cured state dust is formed.

Advice on protection against fire No special precautions required.

and explosion

7.2 Conditions for safe storage, including any incompatibilities

Storage space and container re-

Keep containers tightly closed in a cool, well-ventilated place.

quirements Store in accordance with local regulations.

Keep only in original container.

Hints on storage assembly Store in accordance with the particular national regulations.

German storage class 10-13 (TRGS 510)

7.3 Specific end use(s)

Specific use(s) composite mortar

Further information: see technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

dibenzoyl peroxide

Great Britain

Long-term exposure value/ mg/m3	Remarks	Source
5	R2, 36, 43	100

Source: 100 - Company data

8.2 Exposure controls

Respiratory protection No personal respiratory protective equipment normally required.

Hand protection not required under normal use

Suitable material: butyl-rubber, Chloroprene, Nitrile rubber

Unsuitable material: PVC disposable gloves

Material thickness: adjust to application and duration of use

Break through time: adjust to application and duration of use

Commercial Product Name: FIS HB 345 S - Hardener (Component B)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017

Version: 6.2 /en Print date: 05.04.2017

Remarks: Take note of the information given by the producer concerning per-

meability and break through times, and of special workplace condi-

tions (mechanical strain, duration of contact).

Reference substance : Replace when worn.

Eye protection Tightly fitting safety goggles

Skin and body protection Wear suitable protective equipment.

Note: Choose body protection according to the amount and concentration

of the dangerous substance at the work place.

General protective and hygiene

measures

Smoking, eating and drinking should be prohibited in the application

area.

Avoid contact with skin, eyes and clothing.

Take off all contaminated clothing immediately.

Wash hands before breaks and at the end of workday.

Keep away from food, drink and animal feedingstuffs.

Use protective skin cream before handling the product.

Information on environmental

protection regulations

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

red

Form paste

Odour characteristic

Odour threshold not determined

pH No data available

Melting point [°C] / Freezing

point [°C]

Colour

No data available

Boiling point [°C] no data available

Flash point [°C] > 100

Evaporation rate [kg/(s*m²)] No data available

Flammability (solid, gas) No data available

Explosion limits [Vol-%]

Lower limit : not determined

Upper limit: not determined

Vapour pressure [kPa] No data available

Commercial Product Name: FIS HB 345 S - Hardener (Component B)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017

Version: 6.2 /en Print date: 05.04.2017

Density $[g/cm^3]$ 1,6 - 1,7

Temperature: 20 °C

Water solubility [g/l] not determined

Solubility [g/l] No data available

Partition coefficient n-octanol / No data available

water (log P O/W)

Autoinflammability not auto-flammable

Decomposition temperature [°C] not determined

Viscosity, dynamic [kg/(m*s)] 150 - 200

Temperature: 20 °C

Risk of explosion. Not explosive

9.2 Other information

Oxidizing properties Oxidising

Relative vapour density (air=1) not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

Thermal decomposition No decomposition if stored and applied as directed.

10.2 Chemical stability

Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid Not applicable.

10.6 Hazardous decomposition products

Hazardous decomposition prod- No decomposition if used as directed.

ucts

Commercial Product Name: FIS HB 345 S - Hardener (Component B)

Revision Date: 28.03.2017 Replaces version from: 11.01.2017

Version: 6.2 /en Print date: 05.04.2017

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Hazardous ingredients

dibenzoyl peroxide

Oral toxicity [mg/kg]	Test criterion	Test species	Source
> 5000	LD50	rat	100

Source: 100 - Company data

Inhalative toxicity [mg/l]	Test criterion	Test species	Note	Source
24300	LC50	rat	(dust)	100

Source: 100 - Company data

11.2 Additional information

Other information (chapter 11.) The product itself has not been tested.

SECTION 12: Ecological information

12.1 Toxicity

Hazardous ingredients

dibenzoyl peroxide

Toxicity to fish [mg/l]	Test criterion	Exposure duration	Source
0,06	LC50	96 h	100

Source: 100 - Company data

Toxicity to daphnia [mg/l]	Test criterion	Test species	Exposure duration	Source
0,11	EC50	Daphnia magna (Water flea)	48 h	100

Source: 100 - Company data

Toxicity to algae [mg/l]	Test criterion	Exposure duration	Source
0,06	EC50	72 h	100

Source: 100 - Company data

Ready degradability

NOEC (daphnia) [mg/l]

Value	Test species	Measuring method	Exposure duration
1	Daphnia magna (Big water	OECD 202	48 h
	flea).		

Commercial Product Name: FIS HB 345 S - Hardener (Component B)

innovative solutions

Revision Date: 28.03.2017 Replaces version from: 11.01.2017 Version: 6.2 /en Print date: 05.04.2017

NOEC (algae) [mg/l]

Value	Test species	Measuring method	Exposure duration
0,5	Pseudokirchneriella sub-	OECD 201	72 h
	capitata		

12.2 Persistence and degradability

Elimination and distribution

There is no data available for this product.

mechanisms

Elimination in purification plant
There is no data available for this product.

12.3 Bioaccumulative potential

Bioaccumulation There is no data available for this product.

Bioconcentration factor (BCF) There is no data available for this product.

12.4 Mobility in soil

Distribution in the environment
There is no data available for this product.

Mobility

Mobility: There is no data available for this product.

12.5 Results of PBT and vPvB assessment

Results of PBT characteristics

determination

This preparation contains no substance considered to be very persis-

tent nor very bioaccumulating (vPvB).

12.6 Other adverse effects

Further information on ecology
The product should not be allowed to enter drains, water courses or

the soil.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal considerations The product should not be allowed to enter drains, water courses or

the soil.

Dispose of waste according to applicable legislation.

Empty remaining contents.

Waste Code According to the European Waste Catalogue, Waste Codes are not

product specific, but application specific.

The following Waste Codes are only suggestions:

Product (Mortar and Curing agent)

200127 - paint, inks, adhesives and resins containing dangerous

substances

080409 - waste adhesives and sealants containing organic solvents

or other dangerous substances

cured material and completely squeezed cartridges

Commercial Product Name: FIS HB 345 S - Hardener (Component B)



Revision Date: 28.03.2017 Replaces version from: 11.01.2017 Version: 6.2 /en Print date: 05.04.2017

200000 - MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING

SEPARATELY COLLECTED FRACTIONS

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
14.1 UN-No	3077	3077	3077
14.2 Description of the	ENVIRONMENTALLY HAZ-	ENVIRONMENTALLY HAZ-	ENVIRONMENTALLY HAZ-
goods	ARDOUS SUBSTANCE,	ARDOUS SUBSTANCE,	ARDOUS SUBSTANCE,
	SOLID, N.O.S. (dibenzoyl peroxide)	SOLID, N.O.S. (dibenzoyl peroxide)	SOLID, N.O.S. (dibenzoyl peroxide)
14.2 UN proper shipping		ENVIRONMENTALLY HAZ-	Environmentally haz-
name		ARDOUS SUBSTANCE,	ardous substance, solid,
		SOLID, N.O.S. (dibenzoyl	n.o.s. (dibenzoyl peroxide)
		peroxide)	
14.3 Transport hazard class(es)	9	9	9
14.4 Packaging group	III	III	III
14.5 Environmental haz-	U – Environmentally haz-	U – marine pollutant	U – Environmentally haz-
ards	ardous		ardous
Remarks	Not dangerous goods in	Not dangerous goods in	Not dangerous goods in
	original packaging (Special	original packaging (Special	original packaging (Special
	Provision 375)	Provision 969)	Provision A197)

14.6 Special precautions for user

Precautions not required under normal use

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to not applicable

Annex II of MARPOL and the IBC

Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Restriction of occupation. Water Hazard Class (Ger.) 1

15.2 Chemical safety assessment

Safety assessment Not relevant. Chemical safety assessments for substances in this mix-

ture were not carried out.

Additional regulations Not applicable.

SECTION 16: Other information

Relevant H-phrases H241: Heating may cause a fire or explosion.

H317: May cause an allergic skin reaction.

Commercial Product Name: FIS HB 345 S - Hardener (Component B)

Replaces version from: 11.01.2017

Revision Date: 28.03.2017 Print date: 05.04.2017 Version: 6.2 /en

> H319: Causes serious eye irritation. H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

Wording of the hazard classes Eye Irrit.: Serious eye irritation

Skin Sens.: Skin sensitization

Aquatic Chronic: Hazardous to the aquatic environment

Org. Perox.: Organic peroxide

Aquatic Acute: Hazardous to the aquatic environment

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Classification	Evaluation
Eye Irrit. 2; H319	Calculated
Skin Sens. 1; H317	Calculated
Aquatic Chronic 2; H411	Experimental data

Recommended restrictions None under normal processing. Observe technical data sheet.

Modifications of the previous version are denoted with an asterisk (*).

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.