


## CSK head, TX, yellow zinc-plated, partial thread



### APPROVALS



### BUILDING MATERIALS

- Glued-laminated timber
- Cross-laminated timber
- Laminated veneer plywood panels (e.g. Multiplex)
- Hard woods (pre-drilled)
- Chipboards and oriented strand boards (e.g. OSB panels)
- Plywood
- Solid wood panels
- Soft woods
- And many other wood materials



### ADVANTAGES/BENEFITS

- The unique Power-Fast thread reaches into the screw tip and ensures a fast bite. This makes your work noticeably easier with all wood materials.
- The shank ribs (for screws with partial thread from 50 mm in length and up) substantially reduce drive-in resistance and thus enable greater power and battery conservation in your work.
- The optimised head geometry enables an exact and splinter-free surface finish without the screw twisting off, even with connections close to the edge.
- The ETA approval guarantees the high safety standard and the premium quality of fischer Power-Fast screws.

### APPLICATIONS

- Preferably wood-wood connections
- General wood joints
- Finger tightening elements
- Safety-relevant applications
- Plankings

### FUNCTIONING

- Screws with partial threads can lock wood parts into place by tightening them against each other.
- Full-thread screws are recommended for mounting thin parts and in less firm wood materials (e.g. soft woods).
- Screws with countersunk head can be flush mounted with the wood.
- Pan-Head screws are particularly well suited for metal and wood joints.
- The raised countersunk head is particularly suitable for joints where the screw head is visible and needs to leave behind an attractive appearance.

### TECHNICAL DATA



FPF-ST YZP

## Diameter 3,0

Diameter d [mm]	Length l [mm]	Drive	Art.-No.  Art.-No.	Article name	ETA-approval	Partial thread length l <sub>g</sub> [mm]	Sales unit  [pcs]
3,0	35	TX10	<b>653423</b>	<b>FPF-ST 3,0 x 35 YZP 200</b>	■	24	200
3,0	35	TX10	<b>653424</b>	<b>FPF-ST 3,0 x 35 YZP 500</b>	■	24	500
3,0	40	TX10	<b>653427</b>	<b>FPF-ST 3,0 x 40 YZP 200</b>	■	24	200
3,0	40	TX10	<b>653428</b>	<b>FPF-ST 3,0 x 40 YZP 500</b>	■	24	500
3,0	45	TX10	<b>653431</b>	<b>FPF-ST 3,0 x 45 YZP 200</b>	■	30	200
3,0	45	TX10	<b>653432</b>	<b>FPF-ST 3,0 x 45 YZP 500</b>	■	30	500

## Diameter 3,5

Diameter d [mm]	Length l [mm]	Drive	Art.-No.  Art.-No.	Article name	ETA-approval	Partial thread length l <sub>g</sub> [mm]	Sales unit  [pcs]
3,5	25	TX10	<b>653449</b>	<b>FPF-ST 3,5 x 25 YZP 300</b>	■	18	300
3,5	25	TX10	<b>653450</b>	<b>FPF-ST 3,5 x 25 YZP 1000</b>	■	18	1000
3,5	30	TX10	<b>653455</b>	<b>FPF-ST 3,5 x 30 YZP 300</b>	■	18	300
3,5	35	TX10	<b>653460</b>	<b>FPF-ST 3,5 x 35 YZP 200</b>	■	24	200
3,5	35	TX10	<b>653462</b>	<b>FPF-ST 3,5 x 35 YZP 1000</b>	■	24	1000
3,5	40	TX10	<b>653466</b>	<b>FPF-ST 3,5 x 40 YZP 200</b>	■	24	200
3,5	40	TX10	<b>653468</b>	<b>FPF-ST 3,5 x 40 YZP 1000</b>	■	24	1000
3,5	45	TX10	<b>653470</b>	<b>FPF-ST 3,5 x 45 YZP 200</b>	■	30	200
3,5	45	TX10	<b>653471</b>	<b>FPF-ST 3,5 x 45 YZP 500</b>	■	30	500
3,5	50	TX10	<b>653474</b>	<b>FPF-ST 3,5 x 50 YZP 200</b>	■	30	200
3,5	50	TX10	<b>653475</b>	<b>FPF-ST 3,5 x 50 YZP 500</b>	■	30	500

## Diameter 4,0

Diameter d [mm]	Length l [mm]	Drive	Art.-No.  Art.-No.	Article name	ETA-approval	Partial thread length l <sub>g</sub> [mm]	Sales unit  [pcs]
4,0	30	TX20	<b>653493</b>	<b>FPF-ST 4,0 x 30 YZP 200</b>	■	18	200
4,0	30	TX20	<b>653494</b>	<b>FPF-ST 4,0 x 30 YZP 500</b>	■	18	500
4,0	35	TX20	<b>653501</b>	<b>FPF-ST 4,0 x 35 YZP 200</b>	■	24	200
4,0	35	TX20	<b>653503</b>	<b>FPF-ST 4,0 x 35 YZP 1000</b>	■	24	1000
4,0	40	TX20	<b>653505</b>	<b>FPF-ST 4,0 x 40 YZP 200</b>	■	24	200
4,0	40	TX20	<b>653507</b>	<b>FPF-ST 4,0 x 40 YZP 1000</b>	■	24	1000
4,0	45	TX20	<b>653509</b>	<b>FPF-ST 4,0 x 45 YZP 200</b>	■	30	200
4,0	45	TX20	<b>653510</b>	<b>FPF-ST 4,0 x 45 YZP 500</b>	■	30	500
4,0	50	TX20	<b>653512</b>	<b>FPF-ST 4,0 x 50 YZP 200</b>	■	30	200
4,0	50	TX20	<b>653513</b>	<b>FPF-ST 4,0 x 50 YZP 500</b>	■	30	500
4,0	60	TX20	<b>653515</b>	<b>FPF-ST 4,0 x 60 YZP 200</b>	■	36	200
4,0	60	TX20	<b>653516</b>	<b>FPF-ST 4,0 x 60 YZP 500</b>	■	36	500
4,0	70	TX20	<b>653518</b>	<b>FPF-ST 4,0 x 70 YZP 200</b>	■	42	200
4,0	70	TX20	<b>653519</b>	<b>FPF-ST 4,0 x 70 YZP 500</b>	■	42	500

## Diameter 4,5

Diameter d [mm]	Length l [mm]	Drive	Art.-No.  Art.-No.	Article name	ETA-approval	Partial thread length l <sub>g</sub> [mm]	Sales unit  [pcs]
4,5	35	TX20	<b>653539</b>	<b>FPF-ST 4,5 x 35 YZP 200</b>	■	24	200
4,5	35	TX20	<b>653540</b>	<b>FPF-ST 4,5 x 35 YZP 500</b>	■	24	500
4,5	40	TX20	<b>653542</b>	<b>FPF-ST 4,5 x 40 YZP 200</b>	■	24	200
4,5	40	TX20	<b>653543</b>	<b>FPF-ST 4,5 x 40 YZP 500</b>	■	24	500
4,5	45	TX20	<b>653545</b>	<b>FPF-ST 4,5 x 45 YZP 200</b>	■	30	200
4,5	45	TX20	<b>653546</b>	<b>FPF-ST 4,5 x 45 YZP 500</b>	■	30	500
4,5	50	TX20	<b>653548</b>	<b>FPF-ST 4,5 x 50 YZP 200</b>	■	30	200
4,5	50	TX20	<b>653549</b>	<b>FPF-ST 4,5 x 50 YZP 500</b>	■	30	500
4,5	60	TX20	<b>653551</b>	<b>FPF-ST 4,5 x 60 YZP 100</b>	■	36	100
4,5	60	TX20	<b>653552</b>	<b>FPF-ST 4,5 x 60 YZP 500</b>	■	36	500
4,5	70	TX20	<b>653554</b>	<b>FPF-ST 4,5 x 70 YZP 100</b>	■	42	100
4,5	70	TX20	<b>653555</b>	<b>FPF-ST 4,5 x 70 YZP 500</b>	■	42	500
4,5	80	TX20	<b>653557</b>	<b>FPF-ST 4,5 x 80 YZP 100</b>	■	50	100
4,5	80	TX20	<b>653558</b>	<b>FPF-ST 4,5 x 80 YZP 500</b>	■	50	500

## Diameter 5,0

Diameter d [mm]	Length l [mm]	Drive	Art.-No.  Art.-No.	Article name	ETA-approval	Partial thread length l <sub>g</sub> [mm]	Sales unit  [pcs]
5,0	40	TX20	<b>653575</b>	<b>FPF-ST 5,0 x 40 YZP 200</b>	■	24	200
5,0	40	TX20	<b>653576</b>	<b>FPF-ST 5,0 x 40 YZP 500</b>	■	24	500
5,0	45	TX20	<b>653578</b>	<b>FPF-ST 5,0 x 45 YZP 200</b>	■	30	200
5,0	45	TX20	<b>653579</b>	<b>FPF-ST 5,0 x 45 YZP 500</b>	■	30	500
5,0	50	TX20	<b>653581</b>	<b>FPF-ST 5,0 x 50 YZP 200</b>	■	30	200
5,0	50	TX20	<b>653582</b>	<b>FPF-ST 5,0 x 50 YZP 500</b>	■	30	500
5,0	60	TX20	<b>653584</b>	<b>FPF-ST 5,0 x 60 YZP 100</b>	■	36	100
5,0	60	TX20	<b>653585</b>	<b>FPF-ST 5,0 x 60 YZP 500</b>	■	36	500
5,0	70	TX20	<b>653587</b>	<b>FPF-ST 5,0 x 70 YZP 100</b>	■	42	100
5,0	70	TX20	<b>653588</b>	<b>FPF-ST 5,0 x 70 YZP 200</b>	■	42	200
5,0	80	TX20	<b>653590</b>	<b>FPF-ST 5,0 x 80 YZP 100</b>	■	50	100
5,0	80	TX20	<b>653591</b>	<b>FPF-ST 5,0 x 80 YZP 200</b>	■	50	200
5,0	90	TX20	<b>653593</b>	<b>FPF-ST 5,0 x 90 YZP 100</b>	■	60	100
5,0	90	TX20	<b>653594</b>	<b>FPF-ST 5,0 x 90 YZP 200</b>	■	60	200
5,0	100	TX20	<b>653596</b>	<b>FPF-ST 5,0 x 100 YZP 100</b>	■	60	100
5,0	100	TX20	<b>653597</b>	<b>FPF-ST 5,0 x 100 YZP 200</b>	■	60	200
5,0	110	TX20	<b>653599</b>	<b>FPF-ST 5,0 x 110 YZP 100</b>	■	70	100
5,0	110	TX20	<b>653600</b>	<b>FPF-ST 5,0 x 110 YZP 200</b>	■	70	200
5,0	120	TX20	<b>653603</b>	<b>FPF-ST 5,0 x 120 YZP 100</b>	■	70	100
6,0	100	TX30	<b>653630</b>	<b>FPF-ST 6,0 x 100 YZP 100</b>	■	60	100

## Diameter 6,0

Diameter d [mm]	Length l [mm]	Drive	Art.-No.  Art.-No.	Article name	ETA-approval	Partial thread length l <sub>g</sub> [mm]	Sales unit  [pcs]
6,0	40	TX30	<b>653605</b>	<b>FPF-ST 6,0 x 40 YZP 200</b>	■	24	200
6,0	40	TX30	<b>653606</b>	<b>FPF-ST 6,0 x 40 YZP 500</b>	■	24	500
6,0	45	TX30	<b>653608</b>	<b>FPF-ST 6,0 x 45 YZP 200</b>	■	30	200
6,0	50	TX30	<b>653614</b>	<b>FPF-ST 6,0 x 50 YZP 100</b>	■	30	100
6,0	50	TX30	<b>653615</b>	<b>FPF-ST 6,0 x 50 YZP 200</b>	■	30	200
6,0	60	TX30	<b>653617</b>	<b>FPF-ST 6,0 x 60 YZP 100</b>	■	36	100
6,0	60	TX30	<b>653618</b>	<b>FPF-ST 6,0 x 60 YZP 200</b>	■	36	200
6,0	70	TX30	<b>653620</b>	<b>FPF-ST 6,0 x 70 YZP 100</b>	■	42	100
6,0	70	TX30	<b>653621</b>	<b>FPF-ST 6,0 x 70 YZP 200</b>	■	42	200
6,0	80	TX30	<b>653623</b>	<b>FPF-ST 6,0 x 80 YZP 100</b>	■	50	100
6,0	80	TX30	<b>653624</b>	<b>FPF-ST 6,0 x 80 YZP 200</b>	■	50	200
6,0	90	TX30	<b>653626</b>	<b>FPF-ST 6,0 x 90 YZP 100</b>	■	60	100
6,0	110	TX30	<b>653633</b>	<b>FPF-ST 6,0 x 110 YZP 100</b>	■	70	100
6,0	120	TX30	<b>653636</b>	<b>FPF-ST 6,0 x 120 YZP 100</b>	■	70	100
6,0	130	TX30	<b>653639</b>	<b>FPF-ST 6,0 x 130 YZP 100</b>	■	70	100
6,0	140	TX30	<b>653642</b>	<b>FPF-ST 6,0 x 140 YZP 100</b>	■	70	100
6,0	160	TX30	<b>653648</b>	<b>FPF-ST 6,0 x 160 YZP 100</b>	■	70	100
6,0	180	TX30	<b>653651</b>	<b>FPF-ST 6,0 x 180 YZP 100</b>	■	70	100
6,0	200	TX30	<b>653654</b>	<b>FPF-ST 6,0 x 200 YZP 100</b>	■	70	100
6,0	220	TX30	<b>653655</b>	<b>FPF-ST 6,0 x 220 YZP 25</b>	■	70	25
6,0	240	TX30	<b>653657</b>	<b>FPF-ST 6,0 x 240 YZP 25</b>	■	70	25
6,0	260	TX30	<b>653659</b>	<b>FPF-ST 6,0 x 260 YZP 25</b>	■	70	25
6,0	280	TX30	<b>653661</b>	<b>FPF-ST 6,0 x 280 YZP 25</b>	■	70	25
6,0	300	TX30	<b>653663</b>	<b>FPF-ST 6,0 x 300 YZP 25</b>	■	70	25